



Section 1. Identification of the Substance/Kit and the Company

1.1 Product Identifier	Product Name: Fite's Stain Kit Product Number: FLS-1, FLS-500	
1.2 Intended use	EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso profesional. FR: Réactif de laboratoire. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning.	
1.3 Details of the supplier of the safety data sheet	Manufacturer	ScyTek Laboratories, Inc.
	Address	205 South 600 West Logan, Utah 84321 U.S.A.
	Phone Number	800-729-8350
	Fax Number	435-755-0015
	e-mail	scytek@scytek.com
	Website	scytek.com
1.4 Emergency Telephone	Chemtrec (USA): 1-800-424-9300	

Section 2. Hazards Identification

2.1 GHS Classification	Aspiration hazard (Category 1) – H304 Acute toxicity, Dermal (Category 4) – H312 Skin irritation (Category 2) – H315 Flammable liquids (Category 3) – H226 Acute toxicity, Inhalation (Category 4) – H332 Carcinogenicity (Category 2) – H351 Specific target organ toxicity, repeated exposure (Category 2) – H373 Acute aquatic toxicity (Category 2) – H401 Chronic aquatic toxicity (Category 3) – H412		
2.2 Label Elements	Pictogram(s): <div style="text-align: center;">  </div>		
	Signal Word: Danger		

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 – Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	<p>Hazard Statement(s): H304 – May be fatal if swallowed and enters airways H312 – Harmful in contact with skin H226 – Flammable liquid and vapor H332 – Harmful if inhaled H351 – Suspected of causing cancer</p> <p>Hazard Statement(s) not listed on label: H373 – May cause damage to organs through prolonged or repeated exposure H315 – Causes skin irritation H412 - Harmful to aquatic life with long-lasting effects</p> <p>Precautionary statement(s): P202 – Do not handle until all safety precautions [on SDS] have been read and understood</p> <p>Precautionary statements not listed on label: P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water P305 + P351+P315 – IF IN EYES: Rinse cautiously with water for several minutes. Get immediate medical advice/attention P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P260 – Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P271 – Use only outdoors or in a well-ventilated area. P273 – Avoid release to the environment.</p> <p style="font-size: small;">See Annex III and IV of the EU CLP regulation for translations of statements.</p>								
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)									
HMIS (U.S.A.) Scale: 0-4 (Estimated for Mixtures and Kits)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #e6f2ff;">HEALTH</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="background-color: #ffcccc;">FLAMMABILITY</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="background-color: #ffffcc;">PHYSICAL HAZARD</td> <td style="text-align: center;">0</td> </tr> <tr> <td>PERSONAL PROTECTION</td> <td style="text-align: center;">G</td> </tr> </table>	HEALTH	2	FLAMMABILITY	3	PHYSICAL HAZARD	0	PERSONAL PROTECTION	G
HEALTH	2								
FLAMMABILITY	3								
PHYSICAL HAZARD	0								
PERSONAL PROTECTION	G								
2.3 Other Hazards	<p>PBT: This Kit does not contain any substances that are assessed to be a PBT.</p> <p>vPvB: This Kit does not contain any substances that are assessed to be a vPvB.</p>								

Section 3. Composition and Information on Ingredients

See components SDS

Section 4. First Aid Measures

See components SDS

Section 5. Fire Fighting Measures

See components SDS

Section 6. Accidental Release Measures

See components SDS

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid damaging kit.

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

Section 8. Exposure Controls / Personal Protection

See components SDS

Section 9. Physical and Chemical Properties

See components SDS

Section 10. Stability and Reactivity

See components SDS

Section 11. Toxicological Information

See components SDS

Section 12. Ecological Information

See components SDS



Section 13. Disposal Considerations

See components SDS

Section 14. Transport Information – DOT IATA, IMDG, ADR/RID

14.1 UN Number	UN2920
14.2 UN Proper Shipping Name	Corrosive liquids, flammable, n.o.s. (Phenol, Ethanol, Xylenes)
14.3 Transport Hazard Class(es)	8 (3)

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 – Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	 
14.4 Packing Group DOT, IATA, IMDG, ADR	II
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Kit.

Extremely Hazardous Substances; Section 355	None of the components in this Kit are listed.
Toxic Substances Control Act; TSCA	All of the components in this Kit are listed.
California Proposition 65	WARNING! This product contains a chemical known to the State of California to cause cancer.
Right To Know Components	<p>Xylene: Massachusetts Pennsylvania New Jersey</p> <p>Ethanol: Massachusetts Pennsylvania New Jersey</p> <p>Phenol: Massachusetts Pennsylvania New Jersey</p>

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.