

# **ACE-SDS**

Rev. Date: August 16, 2021

**Revision: 7** 

Page 1 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

# Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: AEC Substrate Product Number: ACE	
1.2 Intended use	DA: Laboratoriere DE: Laboratorium EL: Αντιδραστήρι ES: Reactivo de la FR: Réactif de lab IT: Laboratorium NL: Laboratorium PT: Reagente de	agent. For professional use only. agens. Kun til professionelt brug. reagens. Alleen voor professioneel gebruik. ο εργαστηρίου. Για επαγγελματική χρήση μόνο. aboratorio. Sólo para uso professional. boratoire. Pour un usage professionnel uniquement. i reagente. Solo per uso professionale. reagens. Alleen voor professioneel gebruik. laboratório. Para uso profissional. agens. Endast för yrkesmässig användning.
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.
	Phone Number	800-729-8350
	Fax Number	435-755-0015
	e-mail	scytek@scytek.com
	Website	scytek.com
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300

### Section 2. Hazards Identification

2.1 GHS Classification	Acute toxicity, Oral (Category 4 Skin irritation (Category 2) – H3 Eye irritation (Category 2) – H3	315
2.2 Label Elements	Pictogram(s): Signal word:	Warning
	Hazard statement(s):	H303 – May be harmful if swallowed. H371 – May cause damage to organs H315 – Causes skin irritation H320 – Causes eye irritation



# **ACE-SDS**

Rev. Date: August 16, 2021

**Revision: 7** 

Page 2 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Precautionary statement(s):	P305 + P351 + P313 - minutes. Get medical a	KIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for several attention/advice. ALLOWED: Get immidiate medical advice/attention
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)	10		
HMIS (U.S.A.)	HEALTH	1	
Scale: 0-4	FLAMMABILITY	1	
(Estimated for Mixtures and Kits)	PHYSICAL HAZARD	0	
Winteres and rate)	PERSONAL PROTECTION	N C	
2.3 Other Hazards	PBT: This mixture does not cor vPvB: This mixture does not co	•	

### Section 3. Composition and Information on Ingredients

#### 3.2 Chemical Description: Mixture

\*May contain additional non-hazardous proprietary ingredients.

\*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Methanol	67-56-1	200-659-6	Danger. 3 H225 Highly flammable liquid and vapour.  Danger. 3. H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled.  Danger. 1 H370 Causes damage to organs.	≤8
DMSO Dimethyl Sulfoxide	67-68-5	200-664-3	Warning. 4 H226 Flammable liquid and vapour.	≤ 8
Urea Hydrogen Peroxide	124-43-6	204-701-4	Danger. 1B H314 Causes severe skin burns and eye damage.  Danger. 2 H272 May intensify fire; oxidizer.	≤ 0.06

### Section 4. First Aid Measures

#### 4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.



# **ACE-SDS**

Rev. Date: August 16, 2021

**Revision: 7** 

Page 3 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

**Skin Contact:** Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

**Inhalation:** If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **Section 5. Fire Fighting Measures**

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	No unusual fire or explosive hazards expected
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

#### Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

#### 6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

### 6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

#### Section 7. Handling and Storage

#### 7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 2-8°C.

#### 7.3 Specific end use(s).

See section 1.2

# Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits:
-	Methanol:
	NIOSH REL: TWA 200 ppm (260 mg/m³) ST 250 ppm (325 mg/m³) [skin]
	OSHA PEL: TWA 200 ppm (260 mg/m³)
	ACGIH TLV: TWA 200 ppm (262 mg/m³)
	STEL 250 ppm (328 mg/m³)
8.2 Exposure controls	Personal Protective Equipment (PPE):
-	Eye/Face protection.



# **ACE-SDS**

Rev. Date: August 16, 2021

**Revision: 7** 

Page 4 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Safety glasses or goggles are required.
	Skin protection.
	Protective clothing is required.
	Hand protection.
	Chemical resistant gloves are required.
	Glove material must be resistant to the components of this product.
	Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.
	Respiratory protection.
	Avoid breathing vapor.
	Environmental exposure controls.
	Avoid releasing large quantities into the environment.
	No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.
	Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

### Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Colorless
Odor	Odorless
Odor Threshold	Unknown
pH	$5.0 \pm 0.1$
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

### Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.	
10.2 Chemical Stability	Stable under normal temperatures and pressures.	
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.	
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.	



# **ACE-SDS**

Rev. Date: August 16, 2021

**Revision: 7** 

Page 5 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

10.5 Incompatible Materials	Strong oxidizing agents. Strong acids. Halogens.
10.6 Hazardous Decomposition Materials	Formaldehyde, Sulfur dioxide, Methyl mercaptan, Carbon monoxide.

# **Section 11. Toxicological Information**

11.1 Information on	Acute Toxicity.
Toxicological Effects.	Methanol:
	Oral LD50
	LDLO Oral - Human - 143 mg/kg
	LD50 Oral - rat - 1,187 - 2,769 mg/kg
	Inhalation LC50
	LC50 Inhalation - rat - 4 h - 128.2 mg/l
	LC50 Inhalation - rat - 6 h - 87.6 mg/l
	Dermal LD50
	LD50 Dermal - rabbit - 17,100 mg/kg
	DMSO, Dimethyl Sulfoxide:
	LD50 Oral - rat - 14,500 mg/kg
	LC50 Inhalation - rat - 4 h - 40250 ppm
	LD50 Dermal - rabbit - > 5,000 mg/kg
	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Irritating to the eyes.
	Respiratory or skin sensitization.
	No relevant data available.
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	None of the components are listed.
	National Toxicology Program (NTP).
	None of the components are listed.

### Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.	
-	Crustacea: No relevant studies identified.	
	Algae/Aquatic Plants: No relevant studies identified.	
	Other Organisms: No relevant studies identified.	
12.2 Persistence and	No relevant studies identified.	
Degradability.		
12.3 Bioaccumulative	No relevant studies identified.	
Potential.		
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.	
Additional Remarks	None.	
12.5 Results of PBT and	PBT: This mixture does not contain any substances that are assessed to be a PBT.	
vPvB Assessment.	vPvB: This mixture does not contain any substances that are assessed to be a vPvB.	

# **Section 13. Disposal Considerations**



# Safety Data Sheet ACE-SDS

Rev. Date: August 16, 2021

**Revision: 7** 

Page 6 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

### **Section 14. Transport Information**

14.1 UN Number	Not regulated for transport.
14.2 UN Proper Shipping Name	Not regulated for transport.
14.3 Transport Hazard Class(es)	Not regulated for transport.
14.4 Packing Group	Not regulated for transport.
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

### Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.	
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	Methanol is listed as a having developmental toxicity.
Right To Know Components	Methanol Massachusetts Pennsylvania New Jersey DMSO Dimethyl Sulfoxide Pennsylvania New Jersey Urea Hydrogen Peroxide Pennsylvania New Jersey
Other Regulations	Methanol is listed under SARA 313

# Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.