

Rev. Date: Oct. 12, 2020

**Revision: 3** 

Page 1 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: DAB Enhancer Solution Product Number: ACM	
1.2 Intended use	EN: Laboratory reagent. For professional use only.  DA: Laboratoriereagens. Kun til professionelt brug.  DE: Laboratoriumreagens. Alleen voor professioneel gebruik.  EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο.  ES: Reactivo de laboratorio. Sólo para uso professional.  FR: Réactif de laboratoire. Pour un usage professionnel uniquement.  IT: Laboratorio di reagente. Solo per uso professionale.  NL: Laboratoriumreagens. Alleen voor professioneel gebruik.  PT: Reagente de laboratório. Para uso profissional.  SV: Laboratoriereagens. Endast för yrkesmässig användning.	
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.
	Phone Number	800-729-8350
	Fax Number	435-755-0015
	e-mail	scytek@scytek.com
	Website scytek.com	
1.4 Emergency telephone	(USA) CHEMTRE	D: 1-800-424-9300

## Section 2. Hazards Identification

2.1 GHS	Skin sensitization (Category 1) – H317
Classification	Eye irritation (Category 2A) – H319
	Reporductive toxicity (Category 1B) – H360
	Germ cell mutagenicity (Category 2) – H341
	Carcinogenicity (Category 1B) – H350
	Acute aquatic toxicitiy (Category 2) – H401
	Chronic aquatic toxicity (Category 3) – H412



Rev. Date: Oct. 12, 2020

**Revision: 3** 

Page 2 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

2.2 Label Elements	Pictogram(s):  Signal word: Hazard statement(s):  Hazard statement(s) not listed on Label:  Precautionary statement(s):  Precautionary statement(s) not listed on label:	Danger  H317 – May cause an allergic skin reaction. H341 – Suspected of causing genetic defects H360 – May damage fertility or the unborn child H350 – May cause cancer  H412 – Harmful to aquatic life with long-lasting effects H319 – Causes serious eye irritation  P202: Do not handle until all safety precautions [on SDS] have been read and understood.  P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P233 – Keep container tightly closed. P280 – Wear protective gloves/ eye protection/ face protection. P302+ P352 - IF ON SKIN: Wash with plenty of soap and water. P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes. P301 + P315 – IF SWALLOWED: Get immediate medical advice/attention.
NFPA		P308 + P313 – IF exposed or concerned: Get medical advice/attention. P501 – Dispose of contents/ container to an approved waste disposal plant.  For translations of Hazard and Precautionary statements please see Annex III of the CLP regulation: https://echa.europa.eu/regulations/clp/legislation
Scale: 0-4	200	
HMIS (U.S.A.) Scale: 0-4	HEALTH FLAMMABILITY PHYSICAL HAZARD PERSONAL PROTECTION	2 0 0 0 C
2.3 Other Hazards		ntain any substances that are assessed to be a PBT.  Intain any substances that are assessed to be a vPvB.

# Section 3. Composition and Information on Ingredients

## 3.2 Chemical Description: Mixture

\*May contain additional non-hazardous proprietary ingredients.

\*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%	I
------------------------	------	-----	-------------	---	---



Rev. Date: Oct. 12, 2020

**Revision: 3** 

Page 3 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Cobalt Chloride	7791-13-1	231-589-4	Danger.	≤ 5
			Acute Tox. 4; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1B; Repr. 1B; Aquatic Acute	
			1; Aquatic Chronic 1; H302, H334, H318, H317 H341, H350, H360, H400, H410	

### Section 4. First Aid Measures

### 4.1 Description of first aid measures

**Eye Contact:** Check for and remove contact lenses. Immediately flush eyes with copious amounts of water. Get medical attention if irritation persists.

**Skin Contact:** Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

**Inhalation:** If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **Section 5. Fire Fighting Measures**

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	None known.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

### Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

#### 6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

### 6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

### Section 7. Handling and Storage

#### 7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 18-25°C.



Rev. Date: Oct. 12, 2020

**Revision: 3** 

Page 4 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

7.3 Specific end use(s). See section 1.2

## Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits: Cobalt Chloride: NIOSH REL: TWA 0.10 mg/m3
8.2 Exposure controls	Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.  Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Pink
Odor	Odorless
Odor Threshold	Unknown
pH	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability	Unknown
Limits	
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown



Rev. Date: Oct. 12, 2020

**Revision: 3** 

Page 5 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

<b>Explosive Properties</b>	Not explosive.
Oxidizing Properties	Unknown

# Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong oxidizers, strong acids, strong bases. Reducing agents, alkali metals, halogenated agents, nitrates, metal oxides, chloroformates.
10.6 Hazardous Decomposition Materials	None known

## **Section 11. Toxicological Information**

11.1 Information on	Acute Toxicity.
Toxicological Effects.	Cobalt Chloride hexahydrate
	LD <sub>50</sub> Oral, Rat: 766mg/kg
	LD <sub>50</sub> Dermal, Rat: >2,000 mg/kg
	Skin Corrosion/Irritation.
	May be irritating to skin
	Serious Eye Damage/Irritation.
	Causes serious eye irritation
	Respiratory or skin sensitization.
	May cause an allergic reaction
	Germ Cell Mutagenicity.
	Suspected of causing genetic defects
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	Group 2B: Cobalt and cobalt compounds are possibly carcinogenic to humans
	National Toxicology Program (NTP).
	None of the components are listed.

## Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.
-	Crustacea: No relevant studies identified.
	Algae/Aquatic Plants: No relevant studies identified.
	Other Organisms: No relevant studies identified.
12.2 Persistence and Degradability.	No relevant studies identified.
12.3 Bioaccumulative Potential.	No relevant studies identified.
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.
12.5 Results of PBT and	PBT: This mixture does not contain any substances that are assessed to be a PBT.
vPvB Assessment.	vPvB: This mixture does not contain any substances that are assessed to be a vPvB.



Rev. Date: Oct. 12, 2020

**Revision: 3** 

Page 6 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## **Section 13. Disposal Considerations**

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

## Section 14. Transport Information – DOT, IATA, IMDG, ADR

14.1 UN Number	Not dangerous goods
14.2 UN Proper Shipping Name	Not dangerous goods
14.3 Transport Hazard Class(es)	Not dangerous goods
14.4 Packing Group	Not dangerous goods
14.5 Environmental Hazards	Marine Pollutant: Yes
14.6 Special Precautions for User	Not applicable.

# Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.	
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	Cobalt is listed as causing cancer.
Right To Know Components	N/A
15.2 Chemical Safety Assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by ScyTek Laboratories, Inc.
H and P statements	For translations of Hazard and Precautionary statements please see Annex III of the CLP regulation: <a href="https://echa.europa.eu/regulations/clp/legislation">https://echa.europa.eu/regulations/clp/legislation</a>

## Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.