

ANY-SDS

Revision: 3

Page 1 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 16, 2021

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier		Product Name: Alcian Yellow Solution Product Number: ANY		
1.2 Intended use	 EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professionnel uniquement. FR: Réactif de laboratorie. Pour un usage professionnel uniquement. IT: Laboratoriumreagens. Alleen voor professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso professional. SV: Laboratoriereagens. Endast för yrkesmässig användning. 			
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.		
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.		
	Phone Number	800-729-8350		
	Fax Number	435-755-0015		
	e-mail	scytek@scytek.com		
	Website	scytek.com		
1.4 Emergency Telephone	Chemtrec (USA): 1-800-424-9300			

Section 2. Hazards Identification

2.1 GHS Classification:	Flammable Liquids (Category 2) – H225 Skin irritation (Category 2) – H315 Eye irritation (Category 2) – H320	
2.2 Label Elements	Pictogram(s):	
	Signal Word:	Warning
	Hazard Statement(s):	H303 – May be harmful if swallowed. H320 – Causes eye irritation H225 - Highly flammable liquid and vapour
	Precautionary statement(s):	P302+ P352 - IF ON SKIN: Wash with plenty of soap and water P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes. P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. See Annex III and IV of the EU CLP regulation for translations of statements.

Prepared according to the Globally Harmonized System (GHS)

The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



ANY-SDS

Revision: 3

Page 2 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 16, 2021

NFPA Scale: 0-4 (Estimated for Mixtures and Kits)	20	
HMIS (U.S.A.)	HEALTH	1
Scale: 0-4	FLAMMABILITY	2
(Estimated for Mixtures and Kits)	PHYSICAL HAZARD	0
	PERSONAL PROTECTION	В
2.3 Other Hazards	PBT: This mixture does not contain any si vPvB: This mixture does not contain any si	

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Ethyl Alcohol	64-17-5	200-578-6	Danger. 3 H225 Highly flammable liquid and vapour.	≤ 50
Acetic Acid	64-19-7	200-580-7	Warning. 3, H226 Flammable liquid and vapour. Danger. 1A H314 Causes severe skin burns and eye damage.	≤ 3.0
Alcian Yellow	61968-76-1		Warning. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation.	≤ 1.0
Isopropyl Alcohol	67-63-0	603-117-00-0	Warning. 2. H319 Causes serious eye irritation. 3. H336 May cause drowsiness or dizziness. Danger. 3 H225 Highly flammable liquid and vapour.	≤3.0

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water. Get medical attention if irritation persists.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.



Revision: 3

ANY-SDS

Page 3 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 16, 2021

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get medical attention if you feel unwell. **4.2 Most important symptoms and effects, both acute and delayed** See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed No data available

Section 5. Fire Fighting Measures

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	May produce flammable vapors under fire conditions.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid breathing vapor. **7.2 Conditions for safe storage, including any incompatibilities.** Store in well ventilated area. Keep container tightly closed. Store at 15-30°C. **7.3 Specific end use(s).** See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits:
	Acetic Acid:
	ACGIH TLV: 15ppm (37 mg/m3) STEL
	10 ppm (25 mg/m3) TWA
	NIOSH REL: 15 ppm (37 mg/m3) STEL
	10 ppm (25 mg/m3) TWA
	OSHA PEL: 10 ppm (25 mg/m3) TWA
	Ethyl Alcohol:
	NIOSH REL: 1000 ppm (1900 mg/m³) TWA
	OSHA PEL: 1000 ppm (1900 mg/m ³) TWA
	ACGIH TLV: 1000ppm (1900mg/m ³) TWA

Prepared according to the Globally Harmonized System (GHS)

The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



ANY-SDS

Revision: 3

Page 4 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 16, 2021

	Isopropyl Alcohol: NIOSH REL: TWA 400 ppm (980 mg/m ³) ST 500 ppm (1225 mg/m ³) OSHA PEL: TWA 400 ppm (980 mg/m ³) ACGIH TLV: TWA 200 ppm STEL 400 ppm
8.2 Exposure controls	Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Yellow transparent
Odor	Mild alcohol odor.
Odor Threshold	Unknown
pH	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown



ANY-SDS

Revision: 3

Page 5 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 16, 2021

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong oxidizing agents.
10.6 Hazardous Decomposition Materials	None known

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.
Toxicological Effects.	No relevant data available
	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Irritating to eye.
	Respiratory or skin sensitization.
	No relevant data available.
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	None of the components are listed.
	National Toxicology Program (NTP).
	None of the components are listed.

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.	
-	Crustacea: No relevant studies identified.	
	Algae/Aquatic Plants: No relevant studies identified.	
	Other Organisms: No relevant studies identified.	
12.2 Persistence and	No relevant studies identified.	
Degradability.		
12.3 Bioaccumulative	No relevant studies identified.	
Potential.		
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.	
Additional Remarks	None.	
12.5 Results of PBT and	PBT: This mixture does not contain any substances that are assessed to be a PBT.	
vPvB Assessment.	vPvB: This mixture does not contain any substances that are assessed to be a vPvB.	

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Prepared according to the Globally Harmonized System (GHS)

The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



Revision: 3

ANY-SDS

Page 6 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 16, 2021

Section 14. Transport Information – DOT IATA, IMDG, ADR/RID

14.1 UN Number	1170
14.2 UN Proper Shipping Name	Ethyl alcohol solution
14.3 Transport Hazard Class(es)	3
14.4 Packing Group	II
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.	
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	None of the components in this mixture are listed.
Right To Know Components	None of the components in this mixture are listed.

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.