

Rev. Date: Dec. 15, 2020

Revision: 6

Page 1 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: Bouin's Fluid Product Number: BNF	
1.2 Intended use	EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professional. FR: Réactif de laboratorie. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning.	
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the safety data sheet	Address 205 South 600 West Logan, Utah 84321 U.S.A.	
	Phone Number 800-729-8350	
	Fax Number 435-755-0015	
	e-mail scytek@scytek.com	
	Website scytek.com	
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300

Section 2. Hazards Identification

2.1 GHS	Acute toxicity, Oral (Category 4), H302
Classification	Skin corrosion (Category 1A), H314
	Serious eye damage (Category 1), H314
	Carcinogenicity (Category 2), H351
	Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335
	Corrosive to metals (Category 1) – H290



Rev. Date: Dec. 15, 2020

Revision: 6

Page 2 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

2.2 Label Elements	Plctogram(s):	
	Signal word:	Danger
	Hazard statement(s):	H302 – Harmful if swallowed. H314 – Causes severe skin burns and eye damage H351 – Suspected of causing cancer H335 – May cause respiratory irritation H290 – May be corrosive to metals
	Precautionary statement(s):	P302+ P352 - IF ON SKIN: Wash with plenty of soap and water P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes. P301 + P310 + P305 - IF SWALLOWED / IF IN EYES: Immediately call a POISON CENTER or doctor/ physician P230 - Keep wetted with water [Picric acid may become explosive if allowed to dry]
NFPA Scale: 0-4 (ESTIMATED FOR MIXTURES)	3 1	
HMIS (U.S.A.) Scale: 0-4 (ESTIMATED FOR	HEALTH FLAMMABILITY PHYSICAL HAZARD PERSONAL PROTECTION	3 1 1 H
MIXTURES) 2.3 Other Hazards	PBT: This mixture does not conta	ain any substances that are assessed to be a PBT. tain any substances that are assessed to be a vPvB.

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Formaldehyde	50-00-0	200-001-8	Warning. 2 H315 Causes skin irritation. Warning. 1. H400 Very toxic to aquatic life . 1. H410 Very toxic to aquatic life with long lasting effects.	≤ 8



Rev. Date: Dec. 15, 2020

Revision: 6

Page 3 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Acetic Acid	64-19-7	200-580-7	Warning. 3, H226 Flammable liquid and vapour. Danger. 1A H314 Causes severe skin burns and eye damage.	≤ 5
Methyl Alcohol	67-56-1	200-659-6	Danger. 3 H225 Highly flammable liquid and vapour. Danger. 3. H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. Danger. 1 H370 Causes damage to organs.	≤ 2
Picric Acid	88-89-1	201-865-9	Danger. Div 1.1 H201 Explosive; mass explosion hazard Danger. 3 H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled.	≤ 1.5

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Fire Fighting Measures

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards	May react explosively when exposed to heat. Flammable.
arising from the	
substance or mixture	



Rev. Date: Dec. 15, 2020

Revision: 6

Page 4 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

5.3 Advice for	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus
firefighters	(S.C.B.A.)

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place under water in a waste container for proper disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits: Methyl alcohol: NIOSH REL: TWA 200 ppm (260 mg/m³) ST 250 ppm (325 mg/m³) [skin] OSHA PEL: TWA 200 ppm (260 mg/m³)
	ACGIH TLV: TWA 200 ppm (262 mg/m³) STEL 250 ppm (328 mg/m³)
	Acetic acid, glacial; ACGIH TLV: 15ppm (37 mg/m3) STEL 10 ppm (25 mg/m3) TWA NIOSH REL: 15 ppm (37 mg/m3) STEL 10 ppm (25 mg/m3) TWA OSHA PEL: 10 ppm (25 mg/m3) TWA
	Formaldehyde: NIOSH REL: Ca TWA 0.016 ppm C 0.1 ppm OSHA PEL: [1910.1048] TWA 0.75 ppm ST 2 ppm ACGIH TLV: 0.3 ppm C
8.2 Exposure controls	Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.



Rev. Date: Dec. 15, 2020

Revision: 6

Page 5 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Respiratory protection.	
	Avoid breathing vapor.	
	Environmental exposure controls.	
	Avoid releasing large quantities into the environment.	
	No additional information.	
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.	
	Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.	

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Translucent yellow.
Odor	Strong formaldehyde odor.
Odor Threshold	Unknown
pH	2.0 ± 1.5
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive in liquid state. However, picric acid may become an explosion hazard if allowed to dry.
Oxidizing Properties	Unknown

Section 10. Stability and Reactivity

10.1 Reactivity	If allowed to dry, picric acid may form friction-sensitive explosive salts.	
10.2 Chemical Stability	Stable under normal temperatures and pressures.	
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.	
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight. Do not allow reagent to dry completely.	
10.5 Incompatible Materials	Acids, anhydrides, aniline, bases, isocyanates, metals, oxidizing agents, phenols, reducing agents.	
10.6 Hazardous Decomposition Materials	Oxides of carbon and nitrogen.	



Rev. Date: Dec. 15, 2020

Revision: 6

Page 6 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.
Toxicological Effects.	No relevant data available
	Skin Corrosion/Irritation.
	Corrosive to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Corrosive to eye.
	Respiratory or skin sensitization.
	No relevant data available.
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	Formaldehyde is listed as a known human carcinogen.
	National Toxicology Program (NTP).
	Formaldehyde is listed as a known human carcinogen.

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified. Crustacea: No relevant studies identified.
	Algae/Aquatic Plants: No relevant studies identified.
	Other Organisms: No relevant studies identified.
12.2 Persistence and Degradability.	No relevant studies identified.
12.3 Bioaccumulative Potential.	No relevant studies identified.
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.
12.5 Results of PBT and vPvB Assessment.	PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB.

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information

14.1 UN Number DOT, IATA,IMDG, ADR	DOT: 3265 ADR/RID: 3265 IMDG: 3265 IATA: 3265
14.2 UN Proper Shipping Name DOT, IATA,IMDG, ADR	ADR/RID: Corrosive Liquid, Acidic, Organic, N.O.S. (Formaldehyde, Acetic acid) IMDG: Corrosive Liquid, Acidic, Organic, N.O.S. (Formaldehyde, Acetic acid) IATA: Corrosive Liquid, Acidic, Organic, N.O.S. (Formaldehyde, Acetic acid) DOT: Corrosive Liquid, Acidic, Organic, N.O.S. (Formaldehyde, Acetic acid)



Rev. Date: Dec. 15, 2020

Revision: 6

Page 7 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

14.3 Transport Hazard	DOT: 8
Class(es)	IATA: 8
, ,	IMDG: 8
	ADR/RID: 8
	3265
14.4 Packing Group	ADR/RID: III
DOT, IATA,IMDG, ADR	IMDG: III
	IATA: III
	DOT: III
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for	Not applicable.
User	

Section 15. Regulatory Information

15.1 Safety, Health and Env	vironmental Regulations/Legislation Specific for the Substance or Mixture.
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	Methanol is listed as a having developmental toxicity. Formaldehyde is listed as causing cancer.
Right To Know Components	Listed on Right to Know: Picric Acid, CAS# 88-89-1 California Massachusetts Minnesota New Jersey Pennsylvania Rhode Island Listed on Right to Know: Acetic Acid, CAS# 64-19-7 California Massachusetts Minnesota New Jersey Pennsylvania Rhode Island Listed on Right to Know: Formaldehyde, CAS# 50-00-0 California Massachusetts Minnesota New Jersey Pennsylvania Rhode Island Listed on Right to Know: Methanol, CAS# 67-56-1 California Massachusetts California Rhode Island Listed on Right to Know: Methanol, CAS# 67-56-1 California Massachusetts
	Minnesota New Jersey



Rev. Date: Dec. 15, 2020 **Revision: 6**

Page 8 of 8

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Pennsylvania Rhode Island
Other Regulations	Picric Acid, CAS# 88-89-1 is required to be identified under SARA sections 302/304, 313, CERCLA, TSCA, and/or require an OSHA safety plan.
15.2 Chemical Safety Assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by ScyTek Laboratories, Inc.
H and P Statements Translations	For translations of H and P statements see Annex III of the CLP: https://echa.europa.eu/regulations/clp/legislation

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.