

CFK-SDS

Revision: 3

Page 1 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: Aug 16, 2021

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: Carbol Fuchsin Solution (Kinyoun's) Product Number: CFZ		
1.2 Intended use	EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professional. FR: Réactif de laboratorire. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning.		
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.	
supplier of the safety data sheet	Address 205 South 600 West Logan, Utah 84321 U.S.A.		
	Phone Number 800-729-8350		
	Fax Number 435-755-0015		
	e-mail scytek@scytek.com		
	Website scytek.com		
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300	

Section 2. Hazards Identification

2.1 GHS	Skin irritation (Category 2) – H315
Classification	Serious eye damage (Category 1) – H318
	Germ cell mutagenicity (Category 2) – H341
	Carcinogenicity (Category 1B) – H351
	Specific target organ toxicity (Category 2) – H373
	Chronic aquatic toxicity (Category 3) – H412



CFK-SDS

Rev. Date: Aug 16, 2021 | Revision: 3 | Page 2 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

2.2 Label Elements	Pictogram(s):	
	Signal word:	Warning
	Hazard statement(s):	H315 – Causes skin irritation H318 – Causes serious eye damage H341 – Suspected of causing genetic defects H351 – Suspected of causing cancer
	Hazard statement(s) not listed on label:	H412 – Harmful to aquatic life with long lasting effects H373 – May cause damage to organs through prolonged or repeated exposure.
	Precautionary statement(s):	P202 – Do not handle until all safety precautions have been read and understood. P302+ P352 - IF ON SKIN: Wash with plenty of soap and water P305 + P351 + P337 + P313 - IF IN EYES: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)	200	
HMIS (U.S.A.)	HEALTH	2
Scale: 0-4 (Estimated for	FLAMMABILITY	0
Mixtures and Kits)	PHYSICAL HAZARD PERSONAL PROTECTION	0 N H
2.3 Other Hazards		ntain any substances that are assessed to be a PBT. ontain any substances that are assessed to be a vPvB.

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Ethanol	64-17-5	200-578-6	Danger. 2 H225 Highly flammable liquid and vapour.	≤ 15
Phenol	108-95-2	203-632-7	Danger. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. Warning. 2 H341Suspected of causing genetic defects. STOT	≤ 7



Safety Data Sheet CFK-SDS

Rev. Date: Aug 16, 2021

Revision: 3

Page 3 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

			RE, 2 H371 May cause damage to organs. 2.H373 Causes damage to organs through prolonged or repeated exposure. Danger. H314 Causes severe skin burns and eye damage. Warning. 4 H302 Harmful if swallowed. Warning. H402 Harmful to aquatic life.	
Pararosaniline	569-61-9	209-321-2	Warning. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation. Danger. 1A H350 May cause cancer.	≤ 3

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Fire Fighting Measures

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	No unusual fire or explosion hazards expected.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.



CFK-SDS

Rev. Date: Aug 16, 2021 Rev

Revision: 3

Page 4 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

Section 8. Exposure Controls / Personal Protection

Exposure Limits: Ethanol: NIOSH REL: 1000 ppm (1900 mg/m³) TWA OSHA PEL: 1000 ppm (1900 mg/m³) TWA ACGIH TLV: 1000ppm (1900mg/m³) TWA Phenol: NIOSH REL : TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin] OSHA PEL : TWA 5 ppm (19 mg/m³) [skin]	0.4.0	For a complete the transfer of
NIOSH REL: 1000 ppm (1900 mg/m³) TWA OSHA PEL: 1000 ppm (1900 mg/m³) TWA ACGIH TLV: 1000ppm (1900mg/m³) TWA Phenol: NIOSH REL : TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin] OSHA PEL : TWA 5 ppm (19 mg/m³) [skin] 8.2 Exposure controls Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations	8.1 Control parameters	
OSHA PEL: 1000 ppm (1900 mg/m³) TWA ACGIH TLV: 1000ppm (1900mg/m³) TWA Phenol: NIOSH REL : TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin] OSHA PEL : TWA 5 ppm (19 mg/m³) [skin] 8.2 Exposure controls Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		
ACGIH TLV: 1000ppm (1900mg/m³) TWA Phenol: NIOSH REL : TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin] OSHA PEL : TWA 5 ppm (19 mg/m³) [skin] 8.2 Exposure controls Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protective. Hand protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		
Phenol: NIOSH REL : TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin] OSHA PEL : TWA 5 ppm (19 mg/m³) [skin] 8.2 Exposure controls Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		
NIOSH REL: TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin] OSHA PEL: TWA 5 ppm (19 mg/m³) [skin] 8.2 Exposure controls Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		ACGIH TLV: 1000ppm (1900mg/m³) TWA
: TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin] OSHA PEL : TWA 5 ppm (19 mg/m³) [skin] 8.2 Exposure controls Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Phenol:
OSHA PEL : TWA 5 ppm (19 mg/m³) [skin] 8.2 Exposure controls Personal Protective Equipment (PPE): EyelFace protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		NIOSH REL
in the state of th		: TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin]
8.2 Exposure controls Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		OSHA PEL
Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		: TWA 5 ppm (19 mg/m³) [skin]
Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations	8.2 Exposure controls	Personal Protective Equipment (PPE):
Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Eye/Face protection.
Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Safety glasses or goggles are required.
Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Skin protection.
Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Protective clothing is required.
Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Hand protection.
Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Chemical resistant gloves are required.
Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Glove material must be resistant to the components of this product.
Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.
Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Respiratory protection.
Avoid releasing large quantities into the environment. No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Avoid breathing vapor.
No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Environmental exposure controls.
No additional information. Engineering Controls Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		Avoid releasing large quantities into the environment.
Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations		
Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations	Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.
of rapora bolow from reopeoutre fill control infinite.		of vapors below their respective threshold limits.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Opaque red
Odor	Odorless
Odor Threshold	Unknown
pH	Unknown



CFK-SDS

Rev. Date: Aug 16, 2021 | Revision: 3 | Page 5 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong oxidizing agents.
10.6 Hazardous Decomposition Materials	Carbon oxides, Sulphur oxides.

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.
Toxicological Effects.	No relevant data available
	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Corrosive to eye.
	Respiratory or skin sensitization.
	No relevant data available.
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	Group 2B: Possibly carcinogenic to humans (C.I. Basic red 9)
	Group 3: Not classifiable as to its carcinogenicity to humans (Phenol)
	National Toxicology Program (NTP).
	Reasonably anticipated to be a human carcinogen (C.I. Basic red 9)



Safety Data Sheet CFK-SDS

Rev. Date: Aug 16, 2021

Revision: 3

Page 6 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.	
•	Crustacea: No relevant studies identified.	
	Algae/Aquatic Plants: No relevant studies identified.	
	Other Organisms: No relevant studies identified.	
12.2 Persistence and	No relevant studies identified.	
Degradability.		
12.3 Bioaccumulative	No relevant studies identified.	
Potential.		
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.	
Additional Remarks	None.	
12.5 Results of PBT and	PBT: This mixture does not contain any substances that are assessed to be a PBT.	
vPvB Assessment.	vPvB: This mixture does not contain any substances that are assessed to be a vPvB.	

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information

14.1 UN Number:	UN2920
14.2 UN Proper Shipping Name	Corrosive liquids, flammable, n.o.s. (Phenol, Ethanol)
14.3 Transport Hazard	8 (3
Class(es)	CORROSIVE FLAMMABLE 3
14.4 Packing Group	II
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.		
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.	
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.	
California Proposition 65	None of the components in this mixture are listed.	
Right To Know Components	Massachusetts:	



Revision: 3

CFK-SDS

Page 7 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: Aug 16, 2021

	Ethanol CAS #: 64-17-5
	Phenol CAS #: 108-95-2
	Pararosaniline CAS#: 569-61-9
	Pennsylvania:
	Ethanol CAS #: 64-17-5
	Phenol CAS #: 108-95-2
	New Jersey:
	Ethanol CAS #: 64-17-5
	Phenol CAS #: 108-95-2
	Pararosaniline CAS#: 569-61-9
Other Regulations	SARA 302 Components: Phenol CAS #: 108-95-2
	SARA 313 Components: Phenol CAS #: 108-95-2

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.