

Revision: 3

CFX-SDS

Page 1 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: Oct. 12, 2020

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product	Product Name: Ca	arbol Fuchsin Counterstain		
Identifier	Product Number:	Product Number: CFX		
1.2 Intended use	 EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Aντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professional. FR: Réactif de laboratorie. Pour un usage professionale. IT: Laboratoriumreagens. Alleen voor professionale. NL: Laboratoriumreagens. Alleen voor professional. SV: Laboratoriereagens. Endast för yrkesmässig användning. 			
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.		
supplier of the	Address	205 South 600 West		
safety data sheet		Logan, Utah 84321		
		U.S.A.		
	Phone Number	800-729-8350		
	Fax Number	435-755-0015		
	e-mail	scytek@scytek.com		
Website so		scytek.com		
1.4 Emergency telephone	(USA) CHEMTRE	C: 1-800-424-9300		

Section 2. Hazards Identification

2.1 GHS Classification:	Flammable liquids (Category 3) - H226 Acute toxicity, Inhalation (Category 4) - H332 Skin irritation (Category 2) - H315 Serious eye damage (Category 1) - H318 Germ cell mutagenicity (Category 2) -H341
	Carcinogenicity (Category 2) - H351





Revision: 3

Page 2 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: Oct. 12, 2020

2.2 Label Elements	Pictogram(s):	(!)		
	Signal word:	Danger		
	Hazard statement(s):	H226 – Flammable H315 – Causes ski H318 – Caueses s H332 – Harmful if i H341 – Suspected H351 – Suspected	n irritation erious eye nhaled of causing	damage. genetic defects.
	Precautionary statement(s):	P202 – Do not han understood.	lle until all	safety precautions have been read and
	Precautionary statement(s) not listed on label:	P333 + P313 – If s advice/attention. P305+P351+P338 minutes. Remove of rinsing P310 – Immediatel P301 + P310 - IF S doctor/physician. P210 – Keep away smoking	 IF IN EYI ontact lens call a PO WALLOWE from heat/ 	Vash with plenty of soap and water or a rash occurs: Get medical ES: Rinse cautiously with water for several les if present and easy to do – continue ISON CENTER or doctor/physician. ED: Immediately call a POISON CENTER or sparks/open flames/hot surfaces – No atements, see Annex III of the CLP:
NFPA Scale: 0-4	320			
HMIS (U.S.A.)	HEALTH		;	
Scale: 0-4	FLAMMABILITY			
	PHYSICAL HAZARD	()	
	PERSONAL PROTECTION			
2.3 Other Hazards	PBT: This mixture does not con vPvB: This mixture does not co			

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1% w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%

Prepared according to the Globally Harmonized System (GHS) The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



Revision: 3

CFX-SDS

Page 3 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: Oct. 12, 2020

Ethanol	64-17-5	200-578-6	Danger. 2 H225 Highly flammable liquid and vapour. ≤	i 10
Phenol	108-95-2	203-632-7	 ✓ Danger. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. ✓ Warning. 2 H341Suspected of causing genetic defects. STOT RE, 2 H371 May cause damage to organs. 2.H373 Causes damage to organs through prolonged or repeated exposure. ✓ Danger. H314 Causes severe skin burns and eye damage. ✓ Warning. 4 H302 Harmful if swallowed. ✓ Warning. H402 Harmful to aquatic life. 	5
Fuchsin, Basic	632-99-5	211-189-6	✓ Warning. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation. ✓ Danger. 1A H350 May cause cancer.	÷0.1

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Fire Fighting Measures



Revision: 3

CFX-SDS

Page 4 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	No unusual fire or explosion hazards expected.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Rev. Date: Oct. 12, 2020

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid breathing vapor. **7.2 Conditions for safe storage, including any incompatibilities.** Store in well ventilated area. Keep container tightly closed. Store at 15-30°C. **7.3 Specific end use(s).** See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits:	
•••••	Ethanol:	
	NIOSH REL: 1000 ppm (1900 mg/m ³) TWA	
	OSHA PEL: 1000 ppm (1900 mg/m ³) TWA	
	ACGIH TLV: 1000ppm (1900mg/m ³) TWA	
	Phenol:	
	NIOSH REL: TWA 5 ppm (19 mg/m ³) C 15.6 ppm (60 mg/m ³) [15-minute] [skin]	
	OSHA PEL: TWA 5 ppm (19 mg/m ³) [skin]	
8.2 Exposure controls	Personal Protective Equipment (PPE):	
	Eye/Face protection.	
	Safety glasses or goggles are required.	
	Skin protection.	
	Protective clothing is required.	
	Hand protection.	
	Chemical resistant gloves are required.	
	Glove material must be resistant to the components of this product.	
	Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.	
	Respiratory protection.	
	Avoid breathing vapor.	
	Environmental exposure controls.	
	Avoid releasing large quantities into the environment.	

Prepared according to the Globally Harmonized System (GHS)

The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



Revision: 3

CFX-SDS

Page 5 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

Rev. Date: Oct. 12, 2020

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Opaque red
Odor	Sweet and Tarry (From Phenol)
Odor Threshold	Unknown
рН	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient: n-octanol/water	Unknown
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong oxidizing agents.
10.6 Hazardous Decomposition Materials	Carbon oxides, Sulphur oxides.

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.
Toxicological Effects.	No relevant data available
-	Skin Corrosion/Irritation.
	Corrosive to skin and mucous membranes.

Prepared according to the Globally Harmonized System (GHS)

The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



CFX-SDS

Revision: 3

Page 6 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: Oct. 12, 2020

	Serious Eye Damage/Irritation.	
	Corrosive to eye.	
	Respiratory or skin sensitization.	
	No relevant data available.	
	Germ Cell Mutagenicity.	
	No relevant data available.	
Carcinogenicity.	International Agency for Research on Cancer (IARC).	
	Group 2B: Possibly carcinogenic to humans (C.I. Basic red 9)	
	Group 3: Not classifiable as to its carcinogenicity to humans (Phenol)	
	National Toxicology Program (NTP).	
	Reasonably anticipated to be a human carcinogen (C.I. Basic red 9)	

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified. Crustacea: No relevant studies identified. Algae/Aquatic Plants: No relevant studies identified. Other Organisms: No relevant studies identified.
12.2 Persistence and Degradability.	No relevant studies identified.
12.3 Bioaccumulative Potential.	No relevant studies identified.
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.
12.5 Results of PBT and vPvB Assessment.	PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB.

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information

14.1 UN Number:	UN2920
14.2 UN Proper Shipping Name	Corrosive liquids, flammable, n.o.s. (Phenol, Ethanol)
14.3 Transport Hazard Class(es)	8 (3 CORROSIVE FLAMMABLE 8 3
14.4 Packing Group	11
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.



CFX-SDS

Revision: 3

Page 7 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: Oct. 12, 2020

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.		
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.	
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.	
California Proposition 65	Benzidine-based Dyes (Fuchsin, Basic) are listed as causing cancer.	
Right To Know Components	Massachusetts: Ethanol CAS #: 64-17-5 Phenol CAS #: 108-95-2 Pennsylvania: Ethanol CAS #: 64-17-5 Phenol CAS #: 108-95-2 New Jersey: Ethanol CAS #: 64-17-5 Phenol CAS #: 108-95-2	
Other Regulations	SARA 302 Components: Phenol CAS #: 108-95-2 SARA 313 Components: Phenol CAS #: 108-95-2	
15.2 Chemical Safety Assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by ScyTek Laboratories, Inc.	
H and P Statements	For Translations of Hazard and Precautionary statements, see Annex III of the CLP: https://echa.europa.eu/regulations/clp/legislation	

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.