

Revision: 3

EYB-SDS

Page 1 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 25, 2021

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: Ec Product Number:	osin Y Solution (Modified Alcoholic) EYB
1.2 Intended use	DA: Laboratoriere DE: Laboratorium EL: Αντιδραστήρι ES: Reactivo de l FR: Réactif de lat IT: Laboratorium NL: Laboratorium PT: Reagente de	eagent. For professional use only. eagens. Kun til professionelt brug. reagens. Alleen voor professioneel gebruik. ο εργαστηρίου. Για επαγγελματική χρήση μόνο. aboratorio. Sólo para uso profesional. boratoire. Pour un usage professionnel uniquement. i reagente. Solo per uso professionale. reagens. Alleen voor professioneel gebruik. laboratório. Para uso profissional. eagens. Endast för yrkesmässig användning.
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the safety data sheet	Address	205 South 600 West
Salety data sheet		Logan, Utah 84321
	Phone Number	U.S.A. 800-729-8350
	Fax Number	435-755-0015
	e-mail	scytek@scytek.com
	Website	scytek.com
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300

Section 2. Hazards Identification

2.1 GHS	Flammable liquids (Category	3) – H225	
Classification	Skin irritation (Category 2) -	H315	
	Eye irritation (Category 2A) -	H319	
	Specific target organ toxicity	(Category 3), Central nervous system – H336	
2.2 Label Elements	Pictogram(s): Signal word:	Danger	
	Hazard statement(s):	H226 – Flammable liquid and vapour H319 – Causes serious eye irritation H315 – Causes skin irritation H336 – May cause drowsiness or dizziness	



Revision: 3

EYB-SDS

Page 2 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 25, 2021

	Precautionary statement(s):	smoking P302+ P352 – IF ON P305 + P351 – IF IN E several minutes.	m heat/sparks/open flames/hot surfaces – No SKIN: Wash with plenty of soap and water EYES: Rinse cautiously with water for
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)			
HMIS (U.S.A.)	HEALTH	1	
Scale: 0-4	FLAMMABILITY	2]
(Estimated for Mixtures and Kits)	PHYSICAL HAZARD	0	
	PERSONAL PROTECTION	N H]
2.3 Other Hazards	PBT: This mixture does not cor vPvB: This mixture does not co		

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Ethanol	64-17-5	200-578-6	Danger. 2 H225 Highly flammable liquid and vapour.	≤ 55- 65
Isopropyl Alcohol	67-63-0	200-661-7	Warning. 2. H319 Causes serious eye irritation. 3. H336 May cause drowsiness or dizziness. Danger. 3 H225 Highly flammable liquid and vapour.	≤ 3.8
Acetic Acid	64-19-7	200-580-7	Warning. 3, H226 Flammable liquid and vapour. Danger. 1A H314 Causes severe skin burns and eye damage.	≤ 1
Eosin Y	17372-87-1	241-409-6	Warning. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation.	≤ 0.25



Revision: 3

EYB-SDS

Page 3 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 25, 2021

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water. Get immediate medical attention if irritation persists.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed No data available

Section 5. Fire Fighting Measures

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	No unusual fire or explosion hazards expected.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid breathing vapor. **7.2 Conditions for safe storage, including any incompatibilities.** Store in well ventilated area. Keep container tightly closed. Store at 15-30°C. **7.3 Specific end use(s).** See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters Exposure Limits:



EYB-SDS

Revision: 3

Page 4 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 25, 2021

	Acetic acid, glacial; ACGIH TLV: 15ppm (37 mg/m3) STEL 10 ppm (25 mg/m3) TWA NIOSH REL: 15 ppm (37 mg/m3) STEL 10 ppm (25 mg/m3) TWA OSHA PEL: 10 ppm (25 mg/m3) TWA Ethanol:
	NIOSH REL: 1000 ppm (1900 mg/m ³) TWA OSHA PEL: 1000 ppm (1900 mg/m ³) TWA ACGIH TLV: 1000ppm (1900mg/m ³) TWA
	Isopropyl Alcohol: NIOSH REL: TWA 400 ppm (980 mg/m ³) ST 500 ppm (1225 mg/m ³) OSHA PEL: TWA 400 ppm (980 mg/m ³) ACGIH TLV: TWA 200 ppm STEL 400 ppm
8.2 Exposure controls	Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Red/Orange
Odor	Slight alcohol odor
Odor Threshold	Unknown
рН	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown

Prepared according to the Globally Harmonized System (GHS) The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



Revision: 3

EYB-SDS

Page 5 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

Rev. Date: June 25, 2021

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Oxidizing agents. Metal hydrides.
10.6 Hazardous Decomposition Materials	Carbon Dioxide. Carbon Monoxide.

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.
Toxicological Effects.	No relevant data available
C C	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Seriously irritating to eye.
	Respiratory or skin sensitization.
	No relevant data available.
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
6 ,	Isopropyl Alcohol is listed as Group 3 – not Classifiable as to carcinogenicity in humans
	National Toxicology Program (NTP).
	None of the components are listed.

Section 12. Ecological Information

12.1 Toxicity Fish: No relevant studies identified.	
-	Crustacea: No relevant studies identified.
	Algae/Aquatic Plants: No relevant studies identified.
	Other Organisms: No relevant studies identified.
12.2 Persistence and Degradability.	No relevant studies identified.
12.3 Bioaccumulative Potential.	No relevant studies identified.
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.
12.5 Results of PBT and vPvB Assessment.	PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB.

Prepared according to the Globally Harmonized System (GHS) The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



Revision: 3

EYB-SDS

Page 6 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 25, 2021

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information

14.1 UN Number	1170
14.2 UN Proper Shipping Name	Ethanol Solution
14.3 Transport Hazard Class(es)	3 FLAMMABLE 3
14.4 Packing Group	
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.
14.7 Transport in Bulk According to Annex II of MARPOL73/78 and the IBC Code.	This product is not intended to be transported in bulk as defined in Annex II of MARPOL73/78 and the IBC Code.

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.	
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	This mixture does not contain a chemical known to the state of California to cause cancer.
Right To Know Components	None of the components in this mixture are listed.

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.