

Rev. Date: June 10, 2021

**Revision: 2** 

Page 1 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: Fo Product Number: I	rmalin Solution (10%) Neutral Buffered FRN	
1.2 Intended use	EN: Laboratory reagent. For professional use only.  DA: Laboratoriereagens. Kun til professionelt brug.  DE: Laboratoriumreagens. Alleen voor professioneel gebruik.  EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο.  ES: Reactivo de laboratorio. Sólo para uso profesional.  FR: Réactif de laboratoire. Pour un usage professionnel uniquement.  IT: Laboratorio di reagente. Solo per uso professionale.  NL: Laboratoriumreagens. Alleen voor professioneel gebruik.  PT: Reagente de laboratório. Para uso profissional.  SV: Laboratoriereagens. Endast för yrkesmässig användning.		
1.3 Details of the	Manufacturer	Manufacturer ScyTek Laboratories, Inc.	
supplier of the safety data sheet	Address 205 South 600 West Logan, Utah 84321 U.S.A.		
	Phone Number	800-729-8350	
	Fax Number	435-755-0015	
	e-mail	scytek@scytek.com	
	Website	scytek.com	
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300	

## Section 2. Hazards Identification

2.1 GHS	Skin irritation (Category 2) – F	l315
Classification	Serious eye damage (Category 1) H318	
	Skin sensitization (Category 1	) – H317
	Carcinogenicity (Category 2) -	- H351
	Specific target organ toxicity (	Category 2) – H371
	Germ Cell Mutagenicity (Cate	gory 1B) – H340
2.2 Label Elements	Pictogram(s): Signal word:	Danger
	Hazard statement(s):	H318 – Causes serious eye damage H351 – Suspected of causing cancer H371 – May cause damage to organs H340 – May cause genetic defects H317 – May Cause an allergic skin reaction H315 – Causes skin irritation



P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Precautionary statement(s):	P202: Do not hand and understood.	ecial instructions before use.  ndle until all safety precautions [on SDS] have been reac  athe dust/fumes/gas/mist/vapours/spray.	t
	Precautionary statement(s) not listed on label:	P280 – Wear protection of the	SWALLOWED: Get immediate medical advice/attention tective gloves/protective ction/faceprotection  338 - IF IN EYES: Rinse cautiously with water for several contact lenses, if present and easy to do. Continue skin irritation or rash occurs: Get medical advice/attention to rash occurs: Get medical advice/attention in a well-ventilated place. Keep container tightly	al
NFPA Scale: 0-4 (Estimated for Mixtures)	2 0			
HMIS (U.S.A.) Scale: 0-4 (Estimated for Mixtures)	HEALTH FLAMMABILITY PHYSICAL HAZARD PERSONAL PROTECTION	V	2 1 0 H	
2.3 Other Hazards		•	that are assessed to be a PBT. es that are assessed to be a vPvB.	

## Section 3. Composition and Information on Ingredients

### 3.2 Chemical Description: Mixture

\*May contain additional non-hazardous proprietary ingredients.

\*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Formalin (37-40% Formaldehyde)	50-00-0	200-001-8	Danger. 1 H318 Causeserious eye damage. 1B 314 Causes severe skin burns and eye damage.  Danger. 3. H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled.  Danger. 2. H351 Suspected of causing cancer. 1. H370. Causes damage to organs.	≤ 10



Rev. Date: June 10, 2021 Revision: 2

Page 3 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Methanol	67-56-1	200-659-6	Danger. 3 H225 Highly flammable liquid and vapour.  Danger. 3. H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled.  Danger. 1 H370 Causes damage to organs.	≤ 3

### Section 4. First Aid Measures

#### 4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention

**Skin Contact:** Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

**Inhalation:** If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **Section 5. Fire Fighting Measures**

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	Emits acrid smoke and irritating fumes.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

### Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

#### 6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

#### 6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

## Section 7. Handling and Storage



Rev. Date: June 10, 2021

**Revision: 2** 

Page 4 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

#### 7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

### Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits: Formaldehyde: NIOSH REL: Ca TWA 0.016 ppm C 0.1 ppm OSHA PEL: [1910.1048] TWA 0.75 ppm ST 2 ppm ACGIH TLV: 0.3 ppm C Methanol: NIOSH REL: TWA 200 ppm (260 mg/m³) ST 250 ppm (325 mg/m³) [skin] OSHA PEL: TWA 200 ppm (260 mg/m³) ACGIH TLV: TWA 200 ppm (262 mg/m³) STEL 250 ppm (328 mg/m³)
8.2 Exposure controls	Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.  Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Colorless
Odor	Strong formalin odor
Odor Threshold	Unknown
рН	7.0±0.1
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown



Rev. Date: June 10, 2021

Revision: 2

Page 5 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

## Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of	No hazardous reactions known.
Hazardous Reactions	
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Slightly reactive with oxidizing agents.
10.6 Hazardous	Carbon Monoxide, Carbon Dioxide
Decomposition Materials	

## **Section 11. Toxicological Information**

11.1 Information on Toxicological Effects.	Acute Toxicity Formaldehyde: NIOSH REL: Ca TWA 0.016 ppm C 0.1 ppm OSHA PEL: [1910.1048] TWA 0.75 ppm ST 2 ppm ACGIH TLV: 0.3 ppm C  Methanol: NIOSH REL: TWA 200 ppm (260 mg/m³) ST 250 ppm (325 mg/m³) [skin] OSHA PEL: TWA 200 ppm (260 mg/m³) ACGIH TLV: TWA 200 ppm (262 mg/m³) STEL 250 ppm (328 mg/m³)
	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Corrosive to the eye.
	Respiratory or skin sensitization.  No relevant data available
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	Formaldehyde is listed as a known human carcinogen.
	National Toxicology Program (NTP).
	Formaldehyde is listed as "Known to be a human carcinogen" in the Thirteenth Report.



Rev. Date: June 10, 2021

**Revision: 2** 

Page 6 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.	
	Crustacea: No relevant studies identified.	
	Algae/Aquatic Plants: No relevant studies identified.	
	Other Organisms: No relevant studies identified.	
12.2 Persistence and	No relevant studies identified.	
Degradability.		
12.3 Bioaccumulative	No relevant studies identified.	
Potential.		
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.	
Additional Remarks	None.	
12.5 Results of PBT and	<b>PBT:</b> This mixture does not contain any substances that are assessed to be a PBT.	
vPvB Assessment.	<b>vPvB:</b> This mixture does not contain any substances that are assessed to be a vPvB.	

### **Section 13. Disposal Considerations**

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

## **Section 14. Transport Information**

14.1 UN Number DOT, IATA,IMDG, ADR	DOT: Not regulated goods ADR/RID: Not regulated goods IMDG: Not regulated goods IATA: Not regulated goods
14.2 UN Proper Shipping Name DOT, IATA,IMDG, ADR	ADR/RID: Not regulated goods IMDG: Not regulated goods IATA: Not regulated goods DOT: Not regulated goods
14.3 Transport Hazard Class(es)	DOT: Not regulated goods IATA: Not regulated goods IMDG: Not regulated goods ADR/RID: Not regulated goods
14.4 Packing Group DOT, IATA,IMDG, ADR	ADR/RID: Not regulated goods IMDG: Not regulated goods IATA: Not regulated goods DOT: Not regulated goods
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

## Section 15. Regulatory Information



Rev. Date: June 10, 2021

**Revision: 2** 

Page 7 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.	
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	Methanol is listed as a having developmental toxicity.
Other Regulations	SARA 302 Components: Formaldehyde 50-00-0 SARA 313 Components: Methanol 67-56-1 Formaldehyde 50-00-0

### Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.