

Rev. Date: June 22, 2021

Revision: 3

Page 1 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: Ma Product Number: I	ay-Grunwald Stock Solution MAY
1.2 Intended use	DA: Laboratoriere DE: Laboratorium EL: Αντιδραστήρι ES: Reactivo de la FR: Réactif de lab IT: Laboratorium PT: Reagente de	agent. For professional use only. agens. Kun til professionelt brug. reagens. Alleen voor professioneel gebruik. ο εργαστηρίου. Για επαγγελματική χρήση μόνο. aboratorio. Sólo para uso professional. coratoire. Pour un usage professionnel uniquement. i reagente. Solo per uso professionale. reagens. Alleen voor professioneel gebruik. laboratório. Para uso profissional. agens. Endast för yrkesmässig användning.
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.
	Phone Number	800-729-8350
	Fax Number	435-755-0015
	e-mail	scytek@scytek.com
	Website	scytek.com
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300

Section 2. Hazards Identification

2.1 GHS	Flammable liquids (Category 2	2), H225
Classification:	Acute toxicity, Inhalation (Cate	egory 3), H331
	Acute toxicity, Dermal (Catego	ory 3), H311
	Acute toxicity, Oral (Category	3), H301
	Specific target organ toxicity -	single exposure (Category 1), H370
2.2 Label Elements	Pictogram(s):	
	Signal Word:	Danger
	Hazard Statement(s):	H225 – Highly flammable liquid and vapour H301 – Toxic if swallowed H311 – Toxic in contact with skin H370 – Causes damage to organs



Rev. Date: June 22, 2021 **Revision: 3**

Page 2 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Precautionary statement(s):	P202 – Do not handle understood	until all safety precautions have been read and
	Precautionary statements not listed on label:	P305 + P351+P315 – minutes. Get immedia P301 + P310 - IF SW/ doctor/physician. P210 – Keep away fro smoking.	SKIN: Gently wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for several te medical advice/attention ALLOWED: Immediately call a POISON CENTER or I
		See Annex III and IV of the EU CLF	regulation for translations of statements.
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)	230		
HMIS (U.S.A.)	HEALTH	2	
Scale: 0-4	FLAMMABILITY	3	
(Estimated for Mixtures and Kits)	PHYSICAL HAZARD	0	
Wintares and Mis)	PERSONAL PROTECTION	G	
2.3 Other Hazards	PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB.		

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Methanol	67-56-1	200-659-6	Danger. 3 H225 Highly flammable liquid and vapour. Danger. 3. H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. Danger. 1 H370 Causes damage to organs.	≤ 100
May-Grunwald Stain	N/A	N/A	Warning. 4 H302 Harmful if swallowed. 4 H312 Harmful in contact with skin. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation.	≤ 0.3



Rev. Date: June 22, 2021

Revision: 3

Page 3 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get immediate medical attention

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms continue.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Swallowing this product may cause stomach ache, nausea, vomiting, and diarrhea.

4.3 Indication of any immediate medical attention and special treatment needed

Get immediate medical attention if product is swallowed or large amounts are spilled on skin or in eyes.

Section 5. Fire Fighting Measures

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	Hazardous decomposition products formed under fire conditions Carbon oxides.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters <u>Exposure Limits:</u>



Rev. Date: June 22, 2021

Revision: 3

Page 4 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Methanol:
	NIOSH REL: TWA 200 ppm (260 mg/m³) ST 250 ppm (325 mg/m³) [skin]
	OSHA PEL : TWA 200 ppm (260 mg/m³)
	ACGIH TLV: TWA 200 ppm (262 mg/m ³)
	STEL 250 ppm (328 mg/m ³)
8.2 Exposure controls	Personal Protective Equipment (PPE):
•	Eye/Face protection.
	Safety glasses or goggles are required.
	Skin protection.
	Protective clothing is required.
	Hand protection.
	Chemical resistant gloves are required.
	Glove material must be resistant to the components of this product.
	Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.
	Respiratory protection.
	Avoid breathing vapor.
	Environmental exposure controls.
	Avoid releasing large quantities into the environment.
	No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Dark purple/red
Odor	Odorless
Odor Threshold	Unknown
pH	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.



Rev. Date: June 22, 2021

Revision: 3

Page 5 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Oxidizing Properties	Unknown
----------------------	---------

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of	No hazardous reactions known.
Hazardous Reactions	
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Acids, Oxidizing agents, Alkali metals, Acid chlorides, Acid anhydrides, Reducing agents, Strong inorganic acids, aluminum, lead.
10.6 Hazardous	Carbon oxides.
Decomposition Materials	

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.	
Toxicological Effects.	Methanol:	
	Oral LD50	
	.DLO Oral - Human - 143 mg/kg	
	LD50 Oral - rat - 2,769 mg/kg	
	Inhalation LC50	
	LC50 Inhalation - rat - 4 h - 128.2 mg/l	
	LC50 Inhalation - rat - 6 h - 87.6 mg/l	
	Dermal LD50	
	LD50 Dermal - rabbit - 17,100 mg/kg	
	Skin Corrosion/Irritation.	
	May be irritating to skin and mucous membranes.	
	Serious Eye Damage/Irritation.	
	May be irritating to eye. May cause serious damage to eye if swallowed.	
	Respiratory or skin sensitization.	
	No relevant data available.	
	Germ Cell Mutagenicity.	
	No relevant data available.	
Carcinogenicity.	International Agency for Research on Cancer (IARC).	
	None of the components are listed.	
	National Toxicology Program (NTP).	
	None of the components are listed.	

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.
-	Crustacea: No relevant studies identified.
	Algae/Aquatic Plants: No relevant studies identified.
	Other Organisms: No relevant studies identified.
12.2 Persistence and	No relevant studies identified.
Degradability.	
12.3 Bioaccumulative	No relevant studies identified.
Potential.	
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.



Rev. Date: June 22, 2021

Revision: 3

Page 6 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

12.5 Results of PBT and	PBT: This mixture does not contain any substances that are assessed to be a PBT.	
vPvB Assessment.	vPvB: This mixture does not contain any substances that are assessed to be a vPvB.	

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information - DOT IATA, IMDG, ADR/RID

14.1 UN Number	1230
14.2 UN Proper Shipping Name	Methanol
14.3 Transport Hazard Class(es)	3 (6.1)
14.4 Packing Group	II
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.	
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	Methanol is listed as a having developmental toxicity.
Right To Know Components	Methanol: Massachusetts Pennsylvania New Jersey

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.