





### Section 1. Identification of the Substance/Mixture and the Company

<b>1.1 Product Identifier</b>	Product Name: Orcein Solution Product Number: OAA	
<b>1.2 Intended use</b>	EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso profesional. FR: Réactif de laboratoire. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning.	
<b>1.3 Details of the supplier of the safety data sheet</b>	<b>Manufacturer</b>	ScyTek Laboratories, Inc.
	<b>Address</b>	205 South 600 West Logan, Utah 84321 U.S.A.
	<b>Phone Number</b>	800-729-8350
	<b>Fax Number</b>	435-755-0015
	<b>e-mail</b>	msds@scytek.com
	<b>Website</b>	scytek.com

### Section 2. Hazards Identification

<b>2.1 GHS Classification</b>	Skin irritation (Category 2) – H315 Eye irritation (Category 2A) – H319 Flammable liquids (Category 3) – H226	
<b>Classification: Directive 1999/45/EC</b>	 <b>Xi R36/38, R67; S7, S16, S24/25, S26, S45</b> EN: Irritant DA: Lokalirriterende DE: Reizend EL: Ερεθιστικό ES: Irritante FR: Irritant IT: Irritante NL: Irriterend PT: Irritante SV: Irriterande	







	 <p><b>R10</b>  EN: Flammable.  DA: Brandfarlig.  DE: Entzündlich.  EL: Εύφλεκτο.  ES: Inflamable.  FR: Inflammable.  IT: Infiammabile.  NL: Ontvlambaar.  PT: Inflamável.  SV: Brandfarligt.</p> <p>For full text of R- &amp; S- phrases: see Section 15.</p>								
<p><b>2.2 Label Elements</b></p>	<p>Pictogram(s):</p>  <p>Signal word: Warning</p> <p>Hazard statement(s):  H319 – Causes serious eye irritation  H315 – Causes skin irritation  H226 – Flammable liquid and vapor</p> <p>Precautionary statement(s):  P302+ P352 – IF ON SKIN: Wash with plenty of soap and water  P305 + P351 – IF IN EYES: Rinse cautiously with water for several minutes.  P210 – Keep away from heat/sparks/open flames/hot surfaces – No smoking</p>								
<p><b>NFPA Scale: 0-4</b></p>									
<p><b>HMIS (U.S.A.) Scale: 0-4</b></p>	<table border="1"> <tr> <td>HEALTH</td> <td>1</td> </tr> <tr> <td>FLAMMABILITY</td> <td>2</td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td>0</td> </tr> <tr> <td>PERSONAL PROTECTION</td> <td>G</td> </tr> </table>	HEALTH	1	FLAMMABILITY	2	PHYSICAL HAZARD	0	PERSONAL PROTECTION	G
HEALTH	1								
FLAMMABILITY	2								
PHYSICAL HAZARD	0								
PERSONAL PROTECTION	G								
<p><b>2.3 Other Hazards</b></p>	<p><b>PBT:</b> This mixture does not contain any substances that are assessed to be a PBT.  <b>vPvB:</b> This mixture does not contain any substances that are assessed to be a vPvB.</p>								

### Section 3. Composition and Information on Ingredients

#### 3.2 Chemical Description: Mixture

\*May contain additional non-hazardous proprietary ingredients.

\*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Ethanol	64-17-5	200-578-6	 Danger. 2 H225 Highly flammable liquid and vapour.	≤ 30
Hydrochloric Acid	7647-01-0	231-595-7	 Warning. 3. H335 May cause respiratory irritation.  Danger. 1B. H314 Causes severe skin burns and eye damage.	≤ 1
Isopropyl Alcohol	67-63-0	200-661-7	 Warning. 2. H319 Causes serious eye irritation. 3. H336 May cause drowsiness or dizziness.  Danger. 3 H225 Highly flammable liquid and vapour.	≤ 1
Orcein	1400-62-0	215-750-6	 Warning. 4 H302 Harmful if swallowed	≤ 0.4

### Section 4. First Aid Measures

#### 4.1 Description of first aid measures

**Eye Contact:** Check for and remove contact lenses. Immediately flush eyes with copious amounts of water. Get immediate medical attention if irritation persists.

**Skin Contact:** Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

**Inhalation:** If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### Section 5. Fire Fighting Measures

<b>5.1 Extinguishing Media</b>	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
<b>5.2 Special hazards arising from the substance or mixture</b>	Vapor may travel considerable distance to source of ignition and flash back.
<b>5.3 Advice for firefighters</b>	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

### Section 6. Accidental Release Measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

**6.2 Environmental precautions**

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

**6.3 Methods and materials for containment and cleaning up**

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

### Section 7. Handling and Storage

**7.1 Precautions for safe handling.**

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

**7.2 Conditions for safe storage, including any incompatibilities.**

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30 °C.

**7.3 Specific end use(s).**

See section 1.2

### Section 8. Exposure Controls / Personal Protection

<p><b>8.1 Control parameters</b></p>	<p><b>Exposure Limits:</b>  <i>Ethanol:</i>            NIOSH REL: 1000 ppm (1900 mg/m<sup>3</sup>) TWA            OSHA PEL: 1000 ppm (1900 mg/m<sup>3</sup>) TWA            ACGIH TLV: 1000ppm (1900mg/m<sup>3</sup>) TWA  <i>Hydrochloric Acid:</i>            NIOSH REL            : C 5 ppm (7 mg/m<sup>3</sup>)            OSHA PEL            : C 5 ppm (7 mg/m<sup>3</sup>)            Isopropanol:            NIOSH REL: TWA 400 ppm (980 mg/m<sup>3</sup>) ST 500 ppm (1225 mg/m<sup>3</sup>)            OSHA PEL: TWA 400 ppm (980 mg/m<sup>3</sup>)            ACGIH TLV: TWA 200 ppm STEL 400 ppm</p>
<p><b>8.2 Exposure controls</b></p>	<p><b>Personal Protective Equipment (PPE):</b>  <b>Eye/Face protection.</b>            Safety glasses or goggles are required.  <b>Skin protection.</b>            Protective clothing is required.  <b>Hand protection.</b>            Chemical resistant gloves are required.            Glove material must be resistant to the components of this product.            Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.  <b>Respiratory protection.</b>            Avoid breathing vapor.  <b>Environmental exposure controls.</b>            Avoid releasing large quantities into the environment.            No additional information.</p>
<p><b>Engineering Controls</b></p>	<p>Working area should be adequately large and well ventilated to prevent concentration of vapors.            Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.</p>

### Section 9. Physical and Chemical Properties

<b>Physical State</b>	Liquid
<b>Color</b>	Dark purple
<b>Odor</b>	Mild alcohol odor
<b>Odor Threshold</b>	Unknown
<b>pH</b>	Unknown
<b>Melting Point/ Freezing Point</b>	Unknown
<b>Initial Boiling Point</b>	Unknown
<b>Flash Point</b>	Unknown
<b>Evaporation Rate</b>	Unknown
<b>Flammability (solid, gas)</b>	Unknown
<b>Upper/Lower Flammability Limits</b>	Unknown
<b>Vapor Pressure</b>	Unknown
<b>Vapor Density</b>	Unknown
<b>Relative Density</b>	Unknown
<b>Solubility(ies)</b>	Water
<b>Partition Coefficient: n-octanol/water</b>	Unknown
<b>Auto-Ignition Temperature</b>	Unknown
<b>Decomposition Temperature</b>	Unknown
<b>Viscosity</b>	Unknown
<b>Explosive Properties</b>	Not explosive.
<b>Oxidizing Properties</b>	Unknown

### Section 10. Stability and Reactivity

<b>10.1 Reactivity</b>	No relevant data available.
<b>10.2 Chemical Stability</b>	Stable under normal temperatures and pressures.
<b>10.3 Possibility of Hazardous Reactions</b>	No hazardous reactions known.
<b>10.4 Conditions to Avoid</b>	Fire, static electricity, direct sunlight.
<b>10.5 Incompatible Materials</b>	Strong oxidizers, silver salts, chlorides, and alkali metals.
<b>10.6 Hazardous Decomposition Materials</b>	Carbon oxides, hydrogen chloride.

### Section 11. Toxicological Information

<b>11.1 Information on Toxicological Effects.</b>	<p><b>Acute Toxicity.</b> No relevant data available</p> <p><b>Skin Corrosion/Irritation.</b> Irritating to skin and mucous membranes.</p> <p><b>Serious Eye Damage/Irritation.</b> Seriously irritating to the eye.</p> <p><b>Respiratory or skin sensitization.</b> No relevant data available.</p>
---	---

	<b>Germ Cell Mutagenicity.</b> No relevant data available.
<b>Carcinogenicity.</b>	<b>International Agency for Research on Cancer (IARC).</b> Hydrochloric Acid is listed as Group 3 – Not classifiable as to carcinogenicity in humans Isopropyl Alcohol is listed as Group 3 – not Classifiable as to carcinogenicity in humans <b>National Toxicology Program (NTP).</b> None of the components are listed.

### Section 12. Ecological Information

<b>12.1 Toxicity</b>	<b>Fish:</b> No relevant studies identified. <b>Crustacea:</b> No relevant studies identified. <b>Algae/Aquatic Plants:</b> No relevant studies identified. <b>Other Organisms:</b> No relevant studies identified.
<b>12.2 Persistence and Degradability.</b>	No relevant studies identified.
<b>12.3 Bioaccumulative Potential.</b>	No relevant studies identified.
<b>12.4 Mobility in Soil.</b>	Miscible in water. May spread in water systems. This component is non-volatile.
<b>Additional Remarks</b>	None.
<b>12.5 Results of PBT and vPvB Assessment.</b>	<b>PBT:</b> This mixture does not contain any substances that are assessed to be a PBT. <b>vPvB:</b> This mixture does not contain any substances that are assessed to be a vPvB.

### Section 13. Disposal Considerations

<b>13.1 Waste Disposal Methods.</b>	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
<b>Product/Packaging Disposal.</b>	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
<b>Other Disposal Recommendations.</b>	No relevant data available.

### Section 14. Transport Information

<b>14.1 UN Number DOT, IATA,IMDG, ADR</b>	DOT: 1170 ADR/RID: 1170 IMDG: 1170 IATA: 1170
<b>14.2 UN Proper Shipping Name DOT, IATA,IMDG, ADR</b>	ADR/RID: Ethanol Solutions IMDG: Ethanol Solutions IATA: Ethanol Solutions DOT: Ethanol Solutions
<b>14.3 Transport Hazard Class(es)</b>	DOT: Class 3 IATA: Class 3 IMDG: Class 3 ADR/RID: Class 3
<b>14.4 Packing Group DOT, IATA,IMDG, ADR</b>	ADR/RID: II IMDG: II IATA: II DOT: II
<b>14.5 Environmental Hazards</b>	<b>Marine Pollutant:</b> No

<b>14.6 Special Precautions for User</b>	Not applicable.
--	-----------------

**Section 15. Regulatory Information**

<b>15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.</b>	
<b>Extremely Hazardous Substances; Section 355</b>	None of the components in this mixture are listed.
<b>Toxic Substances Control Act; TSCA</b>	All of the components in this mixture are listed.
<b>California Proposition 65</b>	None of the components in this mixture are listed.
<b>Right To Know Components</b>	<i>Ethanol</i> Massachusetts Pennsylvania New Jersey <i>Isopropyl Alcohol</i> Massachusetts Pennsylvania New Jersey <i>Hydrochloric acid</i> Massachusetts Pennsylvania New Jersey <i>Orcein</i> Pennsylvania New Jersey
<b>15.2 Chemical Safety Assessment</b>	No Chemical Safety Assessment has been carried out for this substance/mixture by ScyTek Laboratories, Inc.
<b>R phrases</b>	<p><b>R36/38</b>            EN: Irritating to eyes and skin.            DA: Irriterer øjnene og huden            DE: Reizt die Augen und die Haut.            EL: Ερεθίζει τα μάτια και το δέρμα.            ES: Irrita los ojos y la piel.            FR: Irritant pour les yeux et la peau.            IT: Irritante per gli occhi e la pelle.            NL: Irriterend voor de ogen en de huid.            PT: Irritante para os olhos e pele.            SV: Irriterar ögonen och huden.</p> <p><b>R10</b>            EN: Flammable.            DA: Brandfarlig.            DE: Entzündlich.            EL: Εύφλεκτο.            ES: Inflamable.            FR: Inflammable.            IT: Infiammabile.            NL: Ontvlambaar.            PT: Inflamável.            SV: Brandfarligt.</p> <p><b>R67</b>            EN: Vapours may cause drowsiness and dizziness.            DA: Dampe kan give sløvhed og svimmelhed.</p>

	<p>DE: Dämpfe können Schläfrigkeit und Benommenheit verursachen.                  EL: Η εισπνοή ατμών μπορεί να προκαλέσει υπνηλία και ζάλη.                  ES: La inhalación de vapores puede provocar somnolencia y vértigo.                  FR: L'inhalation de vapeurs peut provoquer somnolence et vertiges.                  IT: L'inhalazione dei vapori può provocare sonnolenza e vertigini.                  NL: Dampen kunnen slaperigheid en duizeligheid veroorzaken.                  PT: Pode provocar sonolência e vertigens, por inalação dos vapores.                  SV: Ångor kan göra att man blir dåsigt och omtöcknad.</p>
<p><b>S phrases</b></p>	<p><b>S7</b>                  EN: Keep container tightly closed.                  DA: Emballagen skal holdes tæt lukket.                  DE: Behälter dicht geschlossen halten.                  EL: Το δοχείο να διατηρείται ερμητικά κλεισμένο.                  ES: Manténgase el recipiente bien cerrado.                  FR: Conserver le récipient bien fermé.                  IT: Conservare il recipiente ben chiuso.                  NL: In goed gesloten verpakking bewaren.                  PT: Manter o recipiente bem fechado.                  SV: Förpackningen förvaras väl tillsluten.</p> <p><b>S16</b>                  EN: Keep away from sources of ignition - No smoking.                  DA: Holdes væk fra antændelseskilder - Rygning forbudt.                  DE: Von Zündquellen fernhalten - Nicht rauchen.                  EL: Μακριά από πηγές ανάφλεξης - Απαγορεύεται το κάπνισμα.                  ES: Conservar alejado de toda llama o fuente de chispas - No fumar.                  FR: Conserver a l'ecart de toute flamme ou source d'étincelles - Ne pas fumer.                  IT: Conservare lontano da fiamme e scintille - Non fumare.                  NL: Verwijderd houden van ontstekingsbronnen - Niet roken.                  PT: Manter afastado de qualquer chama ou fonte de ignição - Não fumar.                  SV: Förvaras åtskilt från antändningskällor - Rökning förbjuden.</p> <p><b>S24/25</b>                  EN: Avoid contact with skin and eyes.                  DA: Undgå kontakt med huden og øjnene.                  DE: Berührung mit den Augen und der Haut vermeiden.                  EL: Αποφεύγετε επαφή με το δέρμα και με τα μάτια.                  ES: Evítase el contacto con los ojos y la piel.                  FR: Éviter le contact avec la peau et les yeux.                  IT: Evitare il contatto con gli occhi e con la pelle.                  NL: Aanraking met de ogen en de huid vermijden.                  PT: Evitar o contacto com a pele e os olhos.                  SV: Undvik kontakt med huden och ögonen.</p> <p><b>S26</b>                  EN: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                  DA: Kommer stoffet i øjnene, skylles straks grundigt med vand og læge kontaktes.                  DE: Bei Berührung mit den Augen sofort gründlich mit Wasser abspülen und Arzt konsultieren.                  EL: Σε περίπτωση επαφής με τα μάτια πλύνετέ τα αμέσως με άφθονο νερό και ζητήστε ιατρική συμβουλή.                  ES: En caso de contacto con los ojos, lávense inmediata y abundantemente con agua y acúdase a un médico.                  FR: En cas de contact avec les yeux, laver immédiatement et abondamment avec de l'eau et consulter un spécialiste.                  IT: In caso di contatto con gli occhi, lavare immediatamente e abbondantemente con acqua e consultare un medico.                  NL: Bij aanraking met de ogen onmiddellijk met overvloedig water afspoelen en deskundig medisch advies inwinnen.                  PT: Em caso de contacto com os olhos, lavar imediata e abundantemente com água e consultar um especialista.                  SV: id kontakt med ögonen, spola genast med mycket vatten och kontakta läkare.</p>



	<p><b>S45</b></p> <p>EN: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).</p> <p>DA: Ved ulykkestilfælde eller ved ildebefindende er omgående lægebehandling nødvendig; vis etiketten, hvis det er muligt.</p> <p>DE: Bei Unfall oder Unwohlsein sofort Arzt zuziehen (wenn möglich, dieses Etikett vorzeigen).</p> <p>EL: Σε περίπτωση ατυχήματος ή αν αισθανθείτε αδιαθεσία ζητήστε αμέσως ιατρική συμβουλή (δείξτε την ετικέτα αν είναι δυνατό).</p> <p>ES: En caso de accidente o malestar, acúdase inmediatamente al médico (si es posible, muéstresele la etiqueta).</p> <p>FR: En cas d'accident ou de malaise, consulter immédiatement un medecin (si possible lui montrer l'etiquette).</p> <p>IT: In caso di incidente o di malessere consultare immediatamente il medico (se possibile, mostrargli l'etichetta).</p> <p>NL: Bij een ongeval of indien men zich onwel voelt, onmiddellijk een arts raadplegen (indien mogelijk hem dit etiket tonen).</p> <p>PT: Em caso de acidente ou de indisposição, consultar imediatamente o médico (se possível mostrar-lhe o rótulo).</p> <p>SV: Vid olycksfall, illamående eller annan påverkan, kontakta omedelbart läkare. Visa om möjligt etiketten.</p>
--	---

**Section 16. Other Information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.