

Rev. Date: Sept. 14, 2021

Revision: 1

Page 1 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: PlastiMount – Mounting Medium Product Number: PMM	
1.2 Intended use	DA: Laboratoriere DE: Laboratorium EL: Αντιδραστήρι ES: Reactivo de la FR: Réactif de lab IT: Laboratorio d NL: Laboratorium PT: Reagente de	agent. For professional use only. agens. Kun til professionelt brug. reagens. Alleen voor professioneel gebruik. ο εργαστηρίου. Για επαγγελματική χρήση μόνο. aboratorio. Sólo para uso profesional. coratoire. Pour un usage professionnel uniquement. i reagente. Solo per uso professionale. reagens. Alleen voor professioneel gebruik. laboratório. Para uso profissional. agens. Endast för yrkesmässig användning.
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.
	Phone Number	800-729-8350
	Fax Number	435-755-0015
	e-mail	scytek@scytek.com
	Website	scytek.com
1.4 Emergency Telephone	Chemtrec (USA): 1-800-424-9300	

#### Section 2. Hazards Identification

2.1 GHS Classification	Aspiration hazard (Category 1) – H304 Acute toxicity, Dermal (Category 4) – H312 Skin irritation (Category 2) – H315 Flammable liquids (Category 3) – H226 Acute toxicity, Inhalation (Category 4) – H332 Reproductive toxicity (Category 2) – H361 Specific target organ toxicity, repeated exposure (Category 2) – H373 Short-term (acute) aquatic hazard (Category 2) – H401 Long-term (chronic) aquatic hazard (Category 3) – H412
2.2 Label Elements	Pictogram(s):  Signal Word:  Danger



Rev. Date: Sept. 14, 2021 | Revision: 1 | Page 2 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Hazard Statement(s):	H304 – May be fatal if swallowed and enters airways H312 – Harmful in contact with skin H226 – Flammable liquid and vapor H332 – Harmful if inhaled H361 – Suspected of damaging fertility or the unborn child.
	Hazard Statement(s) not listed on label:	H373 – May cause damage to organs through prolonged or repeated exposure H315 – Causes skin irritation H412 - Harmful to aquatic life with long-lasting effects
	Precautionary statement(s):	P202 – Do not handle until all safety precautions [on SDS] have been read and understood
NFPA	Precautionary statements not listed on label:	P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water P305 + P351+P315 – IF IN EYES: Rinse cautiously with water for several minutes. Get immediate medical advice/attention P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  P260 – Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  P271 – Use only outdoors or in a well-ventilated area.  P273 – Avoid release to the environment.  See Annex III and IV of the EU CLP regulation for translations of statements.
Scale: 0-4 (Estimated for Mixtures and Kits)	2 0	
HMIS (U.S.A.) Scale: 0-4 (Estimated for Mixtures and Kits)	HEALTH FLAMMABILITY PHYSICAL HAZARD PERSONAL PROTECTION	2 3 0 G
2.3 Other Hazards	PBT: This mixture does not cont	ain any substances that are assessed to be a PBT.  ntain any substances that are assessed to be a vPvB.

## Section 3. Composition and Information on Ingredients

## 3.2 Chemical Description: Mixture

\*May contain additional non-hazardous proprietary ingredients.

\*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Toluene, CAS#	108-88-3	203-625-9	<b>&amp;</b>	≤ 100
			<b>!</b>	



Rev. Date: Sept. 14, 2021 Re

**Revision: 1** 

Page 3 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Danger. 2 H411 Toxic to aquatic life with long lasting effects.

Danger 2 H351 Suspected of causing cancer. 2 H373 May cause damage to organs through prolonged or repeated exposure. 1 H304 May be fatal if swallowed and enters airways.

#### Section 4. First Aid Measures

#### 4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of and get immediate medical attention.

**Skin Contact:** Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

**Inhalation:** If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **Section 5. Fire Fighting Measures**

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	Heavy flammable vapors may travel along the ground to a distant ignition source and flash back.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

#### Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

#### 6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

#### 6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

#### Section 7. Handling and Storage

#### 7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.



Rev. Date: Sept. 14, 2021

**Revision: 1** 

Page 4 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

### Section 8. Exposure Controls / Personal Protection

0.4.0	Functional limites
8.1 Control parameters	Exposure Limits:
	NIOSH REL:
	TWA 100 ppm (375 mg/m3) ST 150 ppm (560 mg/m3)
	OSHA PEL:
	TWA 200 ppm C 300 ppm 500 ppm (10-minute maximum peak)
8.2 Exposure controls	Personal Protective Equipment (PPE):
	Eye/Face protection.
	Safety glasses or goggles are required.
	Skin protection.
	Protective clothing is required.
	Hand protection.
	Chemical resistant gloves are required.
	Glove material must be resistant to the components of this product.
	Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.
	Respiratory protection.
	Avoid breathing vapor.
	Environmental exposure controls.
	Avoid releasing large quantities into the environment.
	No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.
	Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations
	of vapors below their respective threshold limits.

### Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Clear to Slightly yellow
Odor	Benzene-like
Odor Threshold	Unknown
pH	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Unknown
Partition Coefficient:	Unknown



Rev. Date: Sept. 14, 2021

Revision: 1

Page 5 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

## Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong oxidizers, nitric acid, sulfuric acid, plastic.
10.6 Hazardous Decomposition Materials	Carbon monoxide, carbon dioxide.

### **Section 11. Toxicological Information**

11.1 Information on	Acute Toxicity.
Toxicological Effects.	No relevant data available
	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Irritating to eye.
	Respiratory or skin sensitization.
	No relevant data available.
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	Not classifiable as to its carcinogenicity in humans (Group 3)
	National Toxicology Program (NTP).
	None of the components are listed.

## Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.	
	Crustacea: No relevant studies identified.	
	Algae/Aquatic Plants: No relevant studies identified.	
	Other Organisms: No relevant studies identified.	
12.2 Persistence and Degradability.	No relevant studies identified.	
12.3 Bioaccumulative Potential.	No relevant studies identified.	
12.4 Mobility in Soil.	May spread in water systems. This component is non-volatile.	
Additional Remarks	None.	
12.5 Results of PBT and vPvB Assessment.	<b>PBT:</b> This mixture does not contain any substances that are assessed to be a PBT. <b>vPvB:</b> This mixture does not contain any substances that are assessed to be a vPvB.	



Rev. Date: Sept. 14, 2021

**Revision: 1** 

Page 6 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## **Section 13. Disposal Considerations**

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

## Section 14. Transport Information – DOT IATA, IMDG, ADR/RID

14.1 UN Number	1294
14.2 UN Proper Shipping Name	Toluene
14.3 Transport Hazard Class(es)	Class 3 1307
14.4 Packing Group DOT, IATA,IMDG, ADR	II
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

### Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.	
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	None of the components in this mixture are listed.
Right To Know Components	Toluene: Massachusetts Pennsylvania New Jersey California – WARNING! This product contains a chemical known to the State of California to cause birth defects or reproductive harm.

### Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.