

Rev. Date: July 6, 2021

Revision: 3

Page 1 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier		Product Name: Oxidizer Solution Product Number: SOS	
1.2 Intended use	EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professional. FR: Réactif de laboratoire. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning.		
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.	
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.	
	Phone Number 800-729-8350		
	Fax Number 435-755-0015		
	e-mail scytek@scytek.com		
	Website scytek.com		
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300	

Section 2. Hazards Identification

2.1 GHS	Skin corrosion (Category 1B) –	H314
Classification	Serious eye damage (Category	1) – H318
	Flammable liquids (Category 2)	– H225
	Specific target organ toxicity (C	Category 3), Central nervous system – H336
2.2 Label Elements	Pictogram(s):	
	Signal word:	Danger
	Hazard statement(s):	H225 – Highly flammable liquid and vapour H314 – Causes severe skin burns and eye damage H336 – May cause drowsiness or dizziness



Rev. Date: July 6, 2021

Revision: 3

Page 2 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Precautionary statement(s):	smoking P302+ P352 – IF ON S P305 + P351 + P315 –	m heat/sparks/open flames/hot surfaces – No SKIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for nmediate medical advice/attention.
NFPA			
Scale: 0-4 (Estimated for Mixtures and Kits)	20		
HMIS (U.S.A.)	HEALTH	2	
Scale: 0-4	FLAMMABILITY	3	
(Estimated for Mixtures and Kits)	PHYSICAL HAZARD	0	
winktures and Mis)	PERSONAL PROTECTION	l G	
2.3 Other	PBT: This mixture does not contain any substances that are assessed to be a PBT.		
Hazards	vPvB: This mixture does not contain any substances that are assessed to be a vPvB.		

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Ethyl Alcohol	64-17-5	200-578-6	Danger. 2 H225 Highly flammable liquid and vapour.	≤ 62
Phenol	108-95-2	203-632-7	Danger. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. Warning. 2 H341Suspected of causing genetic defects. STOT RE, 2 H371 May cause damage to organs. 2.H373 Causes damage to organs through prolonged or repeated exposure. Danger. H314 Causes severe skin burns and eye damage. Warning. 4 H302 Harmful if swallowed. Warning. H402 Harmful to aquatic life.	≤5



Rev. Date: July 6, 2021

Revision: 3

Page 3 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Isopropyl Alcohol	67-63-0	200-661-7	Warning. 2. H319 Causes serious eye irritation. 3. H336 May cause drowsiness or dizziness. Danger. 3 H225 Highly flammable liquid and vapour. ≤ 3	3
Hydrochloric Acid	7647-01-0	231-595-7	Warning. 3. H335 May cause respirtory irritation. Danger. 1B. H314 Causes severe skin burns and eye damage. ≤ 1	
Formic Acid	64-18-6	200-579-1	Warning. 3 H226 Flammable liquid and vapour. Warning. 4 H302 Harmful if swallowed. Danger. 1A. H314 Causes severe skin burns and eye damage. Danger. 3 H331 Toxic if inhaled. Warning. H402 Harmful to aquatic life.	

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Fire Fighting Measures

5.1 Extinguishing Media | Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.



Rev. Date: July 6, 2021

Revision: 3

Page 4 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

5.2 Special hazards arising from the substance or mixture	None known
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes. Wash thoroughly after handling.

Avoid breathing vapor.

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits:	
-	Ethanol:	
	NIOSH REL: 1000 ppm (1900 mg/m³) TWA	
	OSHA PEL: 1000 ppm (1900 mg/m³) TWA	
	ACGIH TLV: 1000ppm (1900mg/m³) TWA	
	Hydrochloric Acid:	
	NIOSH REL	
	: C 5 ppm (7 mg/m³)	
	OSHÁ PEL OSHÁ PEL	
	: C 5 ppm (7 mg/m³)	
	Isopropanol:	
	NIOSH REL: TWA 400 ppm (980 mg/m³) ST 500 ppm (1225 mg/m³)	
	OSHA PEL : TWA 400 ppm (980 mg/m³)	
	ACGIH TLV: TWA 200 ppm STEL 400 ppm	
	Phenol:	
	NIOSH REL	
	: TWA 5 ppm (19 mg/m³) C 15.6 ppm (60 mg/m³) [15-minute] [skin]	
	OSHA PEL	
	: TWA 5 ppm (19 mg/m³) [skin]	
8.2 Exposure controls	Personal Protective Equipment (PPE):	
-	Eye/Face protection.	
	Safety glasses or goggles are required.	
	Skin protection.	



Rev. Date: July 6, 2021

Revision: 3

Page 5 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Protective clothing is required.
	Hand protection.
	Chemical resistant gloves are required.
	Glove material must be resistant to the components of this product.
	Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.
	Respiratory protection.
	Avoid breathing vapor.
	Environmental exposure controls.
	Avoid releasing large quantities into the environment.
	No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.
	Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Clear colorless
Odor	Alcohol odor
Odor Threshold	Unknown
рН	Acidic
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong oxidizing agents.



Rev. Date: July 6, 2021

Revision: 3

Page 6 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

10.6 Hazardous	Carbon monoxide, carbon dioxide.
Decomposition Materials	

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.	
Toxicological Effects.	No relevant data available	
	Skin Corrosion/Irritation.	
	Corrosive to skin and mucous membranes.	
	Serious Eye Damage/Irritation.	
	Corrosive to eye.	
	Respiratory or skin sensitization.	
	No relevant data available.	
	Germ Cell Mutagenicity.	
	No relevant data available.	
Carcinogenicity.	International Agency for Research on Cancer (IARC).	
	Hydrochloric Acid is listed as Group 3 – Not classifiable as to carcinogenicity in humans	
	Isopropyl Alcohol is listed as Group 3 – not Classifiable as to carcinogenicity in humans	
	National Toxicology Program (NTP).	
	None of the components are listed.	

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified.
	Crustacea: No relevant studies identified.
	Algae/Aquatic Plants: No relevant studies identified.
	Other Organisms: No relevant studies identified.
12.2 Persistence and Degradability.	No relevant studies identified.
12.3 Bioaccumulative Potential.	No relevant studies identified.
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.
12.5 Results of PBT and vPvB Assessment.	PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB.

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information

14.1 UN Number	2924
14.2 UN Proper Shipping Name	Flammable liquid, corrosive, n.o.s. (Ethanol, Phenol)



Rev. Date: July 6, 2021

Revision: 3

Page 7 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

14.3 Transport Hazard Class(es)	1170
14.4 Packing Group	II .
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

Section 15. Regulatory Information

	vironmental Regulations/Legislation Specific for the Substance or Mixture. None of the components in this mixture are listed.
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.
California Proposition 65	None of the components in this mixture are listed.
Right To Know Components	Ethanol
	Massachusetts
	Pennsylvania
	New Jersey
	Phenol
	Massachusetts
	Pennsylvania
	New Jersey
	Isopropyl Alcohol
	Massachusetts
	Pennsylvania
	New Jersey
	Hydrochloric Acid
	Massachusetts
	Pennsylvania
	New Jersey
	Formic Acid
	Massachusetts
	Pennsylvania
	New Jersey
Other Regulations	SARA 313
-	Isopropyl Alcohol
	Phenol
	Formic Acid

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.