

Rev. Date: June 22, 2021

Revision: 3

Page 1 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: Wright Product Number: Wi	
1.2 Intended use	EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professional. FR: Réactif de laboratoire. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning.	
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.
	Phone Number	800-729-8350
	Fax Number 435-755-0015	
	e-mail scytek@scytek.com	
	Website scytek.com	
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300

Section 2. Hazards Identification

2.1 GHS	Flammable liquids (Category 2	2) – H225
Classification	Acute toxicity, Inhalation (Cate	egory 3) – H331
	Acute toxicity, Dermal (Categor	ory 3) – H311
	Acute toxicity, Oral (Category	3) – H301
	Skin irritation (Category 2) - F	1315
	Eye irritation (Category 2) - H	320
	Specific target organ toxicity -	single exposure (Category 1) – H370
2.2 Label Elements	Pictogram(s):	
	Signal Word:	Danger (Contains Methanol)
	Hazard Statement(s):	H225 – Highly flammable liquid and vapour H301 – Toxic if swallowed H311 – Toxic in contact with skin H331 – Toxic if inhaled



Rev. Date: June 22, 2021 Revision: 3

Page 2 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

		H370 – Causes damage to organs
	Hazard Statement(s) not listed on label:	H315 – Causes skin irritation H320 – Causes eye irritation
	Precautionary statement(s):	P201 – Obtain special instructions before use. P202 – Do not handle until all safety precautions [on SDS] have been read and understood
	Precautionary statement(s) not listed on label:	P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water P305 + P351+P315 – IF IN EYES: Rinse cautiously with water for several minutes. Get immediate medical advice/attention P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P260 – Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P308 + P311 – IF exposed or concerned: Call a POISON CENTER/doctor.
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)	2 0	
HMIS (U.S.A.) Scale: 0-4 (Estimated for Mixtures and Kits)	HEALTH FLAMMABILITY PHYSICAL HAZARD PERSONAL PROTECTION	2 3 0 N G
2.3 Other Hazards		ntain any substances that are assessed to be a PBT. ontain any substances that are assessed to be a vPvB.

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Methanol	67-56-1	200-659-6	Danger. 3 H225 Highly flammable liquid and vapour. Danger. 3. H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 3 H331 Toxic if inhaled.	≤ 90



Rev. Date: June 22, 2021

Revision: 3

Page 3 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Chaprin	50.04.5	000 000 5	Danger. 1 H370 Causes damage to organs.	. 10
Glycerin	56-81-5	200-289-5	n/a [≤]	≤ 10
Giemsa Stain	51811-82-6	257-438-2	Danger. 2 H318 Causes serious eye damage. Warning. 3 H412 harmful to aquatic life with long lasting effects.	≤ 0.2
Wright's Stain	68988-92-1	273-541-5	Warning. 4 H302 Harmful if swallowed. Danger. 2 H318 Causes serious eye damage. Warning. 3 H412 harmful to aquatic life with long lasting effects.	≤ 0.3

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get immediate medical attention if symptoms develop or if concerned.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Fire Fighting Measures

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	Vapor is heavier than air and can flow along surfaces to a distant ignition source and flash back. Sensitive to static discharge. May burn with a nearly invisible flame.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Section 6. Accidental Release Measures



Rev. Date: June 22, 2021

Revision: 3

Page 4 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits:	
-	Methanol:	
	NIOSH REL: TWA 200 ppm (260 mg/m³) ST 250 ppm (325 mg/m³) [skin]	
	OSHA PEL : TWA 200 ppm (260 mg/m³)	
	ACGIH TLV : TWA 200 ppm (262 mg/m³)	
	STEL 250 ppm (328 mg/m³)	
8.2 Exposure controls	Personal Protective Equipment (PPE):	
-	Eye/Face protection.	
	Safety glasses or goggles are required.	
	Skin protection.	
	Protective clothing is required.	
	Hand protection.	
	Chemical resistant gloves are required.	
	Glove material must be resistant to the components of this product.	
	Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.	
	Respiratory protection.	
	Avoid breathing vapor.	
	Environmental exposure controls.	
	Avoid releasing large quantities into the environment.	
	No additional information.	
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.	
	Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.	

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Dark blue
Odor	Alcohol odor
Odor Threshold	Unknown



Rev. Date: June 22, 2021

Revision: 3

Page 5 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

pH	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water
Partition Coefficient: n-octanol/water	Unknown
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of Hazardous Reactions	No hazardous reactions known.
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong organic acids, oxidizers, lead, aluminum.
10.6 Hazardous Decomposition Materials	Carbon Dioxide, Carbon Monoxide.

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.
Toxicological Effects.	Methanol:
	Oral LD50
	LDLO Oral - Human - 143 mg/kg
	Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
	LD50 Oral - rat - 1,187 - 2,769 mg/kg
	Inhalation LC50
	LC50 Inhalation - rat - 4 h - 128.2 mg/l
	LC50 Inhalation - rat - 6 h - 87.6 mg/l
	Dermal LD50
	LD50 Dermal - rabbit - 17,100 mg/kg
	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.



Rev. Date: June 22, 2021

Revision: 3

Page 6 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

	Serious Eye Damage/Irritation. Irritating to eye. Respiratory or skin sensitization. No relevant data available. Germ Cell Mutagenicity. No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC). None of the components are listed. National Toxicology Program (NTP). None of the components are listed.

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified. Crustacea: No relevant studies identified. Algae/Aquatic Plants: No relevant studies identified. Other Organisms: No relevant studies identified.
12.2 Persistence and Degradability.	No relevant studies identified.
12.3 Bioaccumulative Potential.	No relevant studies identified.
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.
12.5 Results of PBT and vPvB Assessment.	PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB.

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information - DOT IATA, IMDG, ADR/RID

14.1 UN Number	1230
14.2 UN Proper Shipping Name	Methanol
14.3 Transport Hazard Class(es)	3 (6.1)
14.4 Packing Group	
14.5 Environmental Hazards	Marine Pollutant: No



Rev. Date: June 22, 2021

Revision: 3

Page 7 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

14.6 Special Precautions for	Not applicable.
User	

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.		
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.	
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.	
California Proposition 65	Methanol is listed as a having developmental toxicity	
Right To Know Components	Methanol Massachusetts Pennsylvania New Jersey Glycerin Massachusetts Pennsylvania New Jersey Giemsa Stain Pennsylvania New Jersey	
Other Regulations	SARA 313 Methanol	

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.