

Revision: 3

XPO-SDS

Page 1 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 21, 2021

Section 1. Identification of the Substance/Mixture and the Company

1.1 Product Identifier	Product Name: Xy Product Number: X	lene-Peanut Oil Solution XPO
1.2 Intended use	 EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Aντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professionnel uniquement. FR: Réactif de laboratorie. Pour un usage professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning. 	
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.
supplier of the	Address	205 South 600 West
safety data sheet		Logan, Utah 84321
		U.S.A.
	Phone Number 800-729-8350	
	Fax Number 435-755-0015	
	e-mail <u>scytek@scytek.com</u>	
	Website scytek.com	
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300

Section 2. Hazards Identification

2.1 GHS Classification	Aspiration hazard (Category 1) – H304 Acute toxicity, Dermal (Category 4) – H312 Skin irritation (Category 2) – H315 Flammable liquids (Category 3) – H226 Acute toxicity, Inhalation (Category 4) – H332 Carcinogenicity (Category 2) – H351 Specific target organ toxicity, repeated exposure (Category 2) – H373 Acute aquatic toxicity (Category 2) – H401
2.2 Label Elements	Chronic aquatic toxicity (Category 3) – H412 Pictogram(s): Signal Word: Danger



Revision: 3

XPO-SDS

Page 2 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 21, 2021

	Hazard Statement(s): Hazard Statement(s) not listed on label:	 H304 – May be fatal if swallowed and enters airways H312 – Harmful in contact with skin H226 – Flammable liquid and vapor H332 – Harmful if inhaled H351 – Suspected of causing cancer H373 – May cause damage to organs through prolonged or repeated exposure H315 – Causes skin irritation H412 - Harmful to aquatic life with long-lasting effects
	Precautionary statement(s):	P202 – Do not handle until all safety precautions [on SDS] have been read and understood
	Precautionary statements not listed on label:	 P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water P305 + P351+P315 – IF IN EYES: Rinse cautiously with water for several minutes. Get immediate medical advice/attention P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P260 – Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P271 – Use only outdoors or in a well-ventilated area. P273 – Avoid release to the environment. See Annex III and IV of the EU CLP regulation for translations of statements.
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)	230	
HMIS (U.S.A.)	HEALTH	2
Scale: 0-4	FLAMMABILITY	3
(Estimated for	PHYSICAL HAZARD	0
Mixtures and Kits)	PERSONAL PROTECTION	G
2.3 Other Hazards	PBT: This mixture does not cont	ain any substances that are assessed to be a PBT. ntain any substances that are assessed to be a vPvB.

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Xylene, CAS#	1330-20-7	215-535-7	Danger. 3 H226 Flammable liquid and vapour. Danger. 4 H312 Harmful in contact with skin., H332 Harmful if inhaled. 2 H315 Causes skin irritation.	≤ 50

Prepared according to the Globally Harmonized System (GHS)

The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



XPO-SDS

Revision: 3

Page 3 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 21, 2021

			Danger. 2 H411 Toxic to aquatic life with long lasting effects. Danger 2 H351 Suspected of causing cancer. 2 H373 May cause damage to organs through prolonged or repeated exposure. 1 H304 May be fatal if swallowed and enters airways.	
Peanut Oil, CAS#	8002-03-7	232-296-4	N/A	≤ 50

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Fire Fighting Measures

5.1 Extinguishing Media	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
5.2 Special hazards arising from the substance or mixture	Heavy flammable vapors may travel along the ground to a distant ignition source and flash back.
5.3 Advice for firefighters	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling. Avoid contact with skin and eyes.



XPO-SDS

Rev. Date: June 21, 2021 Revision: 3

Page 4 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Wash thoroughly after handling. Avoid breathing vapor. **7.2 Conditions for safe storage, including any incompatibilities.** Store in well ventilated area. Keep container tightly closed. Store at 15-30°C. **7.3 Specific end use(s).** See section 1.2

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters	Exposure Limits:
•	o-Xylene
	IDLH: 900ppm
	NIOSH REL: TWA 100ppm ST 150 ppm
	OSHA PEL: TWA 100ppm
8.2 Exposure controls	Personal Protective Equipment (PPE):
-	Eye/Face protection.
	Safety glasses or goggles are required.
	Skin protection.
	Protective clothing is required.
	Hand protection.
	Chemical resistant gloves are required.
	Glove material must be resistant to the components of this product.
	Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.
	Respiratory protection.
	Avoid breathing vapor.
	Environmental exposure controls.
	Avoid releasing large quantities into the environment.
	No additional information.
Engineering Controls	Working area should be adequately large and well ventilated to prevent concentration of vapors.
	Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Slightly yellow
Odor	Xylene odor
Odor Threshold	Unknown
рН	Unknown
Melting Point/ Freezing Point	Unknown
Initial Boiling Point	Unknown
Flash Point	Unknown
Evaporation Rate	Unknown
Flammability (solid, gas)	Unknown
Upper/Lower Flammability Limits	Unknown
Vapor Pressure	Unknown
Vapor Density	Unknown
Relative Density	Unknown
Solubility(ies)	Water

Prepared according to the Globally Harmonized System (GHS) The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



XPO-SDS

Revision: 3

Page 5 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 21, 2021

Partition Coefficient:	Unknown
n-octanol/water	
Auto-Ignition Temperature	Unknown
Decomposition Temperature	Unknown
Viscosity	Unknown
Explosive Properties	Not explosive.
Oxidizing Properties	Unknown

Section 10. Stability and Reactivity

10.1 Reactivity	No relevant data available.
10.2 Chemical Stability	Stable under normal temperatures and pressures.
10.3 Possibility of	No hazardous reactions known.
Hazardous Reactions	
10.4 Conditions to Avoid	Fire, static electricity, direct sunlight.
10.5 Incompatible Materials	Strong oxidizers, nitric acid, sulfuric acid, plastic.
10.6 Hazardous	Carbon monoxide, carbon dioxide.
Decomposition Materials	

Section 11. Toxicological Information

11.1 Information on	Acute Toxicity.
Toxicological Effects.	No relevant data available
	Skin Corrosion/Irritation.
	Irritating to skin and mucous membranes.
	Serious Eye Damage/Irritation.
	Irritating to eye.
	Respiratory or skin sensitization.
	No relevant data available.
	Germ Cell Mutagenicity.
	No relevant data available.
Carcinogenicity.	International Agency for Research on Cancer (IARC).
	Xylenes are not classifiable as to their carcinogenicity to humans (Group 3)
	National Toxicology Program (NTP).
	None of the components are listed.

Section 12. Ecological Information

12.1 Toxicity	Fish: No relevant studies identified. Crustacea: No relevant studies identified. Algae/Aquatic Plants: No relevant studies identified. Other Organisms: No relevant studies identified.
12.2 Persistence and Degradability.	No relevant studies identified.
12.3 Bioaccumulative Potential.	No relevant studies identified.
12.4 Mobility in Soil.	Miscible in water. May spread in water systems. This component is non-volatile.
Additional Remarks	None.
12.5 Results of PBT and vPvB Assessment.	PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB.

Prepared according to the Globally Harmonized System (GHS)

The material contained herein is the property of ScyTek Laboratories, Inc. Unauthorized use or copying is prohibited.



Revision: 3

XPO-SDS

Page 6 of 6

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Rev. Date: June 21, 2021

Section 13. Disposal Considerations

13.1 Waste Disposal Methods.	Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
Product/Packaging Disposal.	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
Other Disposal Recommendations.	No relevant data available.

Section 14. Transport Information – DOT IATA, IMDG, ADR/RID

14.1 UN Number	1307
14.2 UN Proper Shipping Name	Xylenes
14.3 Transport Hazard Class(es)	Class 3
14.4 Packing Group DOT, IATA,IMDG, ADR	11
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.

Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.		
Extremely Hazardous Substances; Section 355	None of the components in this mixture are listed.	
Toxic Substances Control Act; TSCA	All of the components in this mixture are listed.	
California Proposition 65	None of the components in this mixture are listed.	
Right To Know Components	Xylene: Massachusetts Pennsylvania New Jersey California – WARNING! This product contains a chemical known to the State of California to cause cancer.	

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.