

Instructions For Use A00021-IFU

Rev. Date: 10/14/03

Revision: 2

Page 1 of 1

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Fax (435) 755-0015 - www.scytek.com

Monoclonal Mouse Antibody to Human p53 Protein

Description:

Immunogen: Recombinant human wild type p53 protein expressed in E. coli.

Clone: DO-7.

Isotype: IgG2b, Kappa.

Format: This antibody has been pretitered and quality controlled to work on

formalin-fixed paraffin-embedded as well as acetone fixed cryostat tissue

sections. No further titration is required.

Specificity: This antibody reacts with wild as well as mutant types of p53 protein. It

recognizes an epitope in the N-terminus of p53 protein, known to reside between amino acids 35 to 45. This antibody can be demonstrated in 22-76% of the colon, stomach, bladder, breast, lung and testes cancers.

Uses/Limitations: Immunohistochemistry

For Research Use Only.

Do not use past expiration date.

Storage: 2-8° Centigrade.

Procedure: We suggest an incubation period of 30-60 minutes at room temperature.

However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. Proteolytic digestion of tissue sections is required prior to immunostaining. <u>Although</u>

not required, microwave treatment, considerably enhances the

immunostaining in formalin-fixed tissues.

Precautions: Contains Sodium Azide as a preservative.

Do not pipette by mouth.

References: i) Nigro et al. Nature 342: 705, 1989.

ii) Cattoretti et al. Int J Cancer 41: 178, 1988. iii) Bartek et al. Oncogene 6: 1699, 1991.