

Rev. Date: June 21, 2021

**Revision: 4** 

Page 1 of 4

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## Section 1. Identification of the Substance/Kit and the Company

1.1 Product Identifier	Product Name: Elastic Stain Kit Product Number: ETS-1, ETS-2		
1.2 Intended use	EN: Laboratory reagent. For professional use only.  DA: Laboratoriereagens. Kun til professionelt brug.  DE: Laboratoriumreagens. Alleen voor professioneel gebruik.  EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο.  ES: Reactivo de laboratorio. Sólo para uso professional.  FR: Réactif de laboratorie. Pour un usage professionnel uniquement.  IT: Laboratorio di reagente. Solo per uso professionale.  NL: Laboratoriumreagens. Alleen voor professioneel gebruik.  PT: Reagente de laboratório. Para uso profissional.  SV: Laboratoriereagens. Endast för yrkesmässig användning.		
1.3 Details of the	Manufacturer	ScyTek Laboratories, Inc.	
supplier of the safety data sheet	Address	205 South 600 West Logan, Utah 84321 U.S.A.	
	Phone Number	800-729-8350	
	Fax Number	435-755-0015	
	e-mail	scytek@scytek.com	
	Website	scytek.com	
1.4 Emergency Telephone	Chemtrec (USA): 1	-800-424-9300	

#### Section 2. Hazards Identification

2.1 GHS Classification	Flammable liquids (Category 2) – H225 Skin irritation (Category 2) – H315 Serious eye damage (Category 1) – H318 Specific target organ toxicity Oral (Category 1) – H372 Acute aquatic toxicity (Category 3) – H402		
2.2 Label Elements	Skin sensitization (Category 1), H317  Pictogram(s):		
	Signal Word: Hazard Statement(s):	Danger H225 – Highly flammable liquid and vapour H318 – Causes serious eye damage. H315 – Causes skin irritation H317 – May cause an allergic skin reaction	



Rev. Date: June 21, 2021

**Revision: 4** 

Page 2 of 4

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

		H372 – Causes d exposure (Thyroi H402 – Harmful t	id).	e to organs through prolonged or repeated
	Precautionary statement(s):	P202 – Do not ha	andle (	until all safety precautions [on SDS] have been read
	Precautionary statements not listed on label:	smoking P302+ P352 – IF P305 + P351 + P several minutes. P314 – Get medi P273 – Avoid rele	ON S P315 – Get in ical ad ease t	n heat/sparks/open flames/hot surfaces – No KIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for nmidiate medical advice/attention vice/attention if you feel unwell to the environment regulation for translations of statements.
NFPA Scale: 0-4 (Estimated for Mixtures and Kits)	2 0			
HMIS (U.S.A.)	HEALTH		2	
Scale: 0-4 (Estimated for Mixtures and Kits)	FLAMMABILITY		3	
	PHYSICAL HAZARD		0	
	PERSONAL PROTECTION		G	
2.3 Other Hazards	PBT: This Kit does not contain any substances that are assessed to be a PBT.  vPvB: This Kit does not contain any substances that are assessed to be a vPvB.			

### Section 3. Composition and Information on Ingredients

See components SDS

### Section 4. First Aid Measures

See components SDS

#### **Section 5. Fire Fighting Measures**

See components SDS

#### Section 6. Accidental Release Measures

See components SDS

#### Section 7. Handling and Storage

#### 7.1 Precautions for safe handling.

Avoid damaging kit.



Rev. Date: June 21, 2021

**Revision: 4** 

Page 3 of 4

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

#### Section 8. Exposure Controls / Personal Protection

See components SDS

## Section 9. Physical and Chemical Properties

See components SDS

### Section 10. Stability and Reactivity

See components SDS

### **Section 11. Toxicological Information**

See components SDS

#### **Section 12. Ecological Information**

See components SDS

#### Section 13. Disposal Considerations

See components SDS

## Section 14. Transport Information

14.1 UN Number	1170
14.2 UN Proper Shipping Name DOT, IATA,IMDG, ADR	Ethyl alcohol solution
14.3 Transport Hazard Class(es)	Class 3 1170 3
14.4 Packing Group DOT, IATA,IMDG, ADR	II .
14.5 Environmental Hazards	Marine Pollutant: No
14.6 Special Precautions for User	Not applicable.



Rev. Date: June 21, 2021

**Revision: 4** 

Page 4 of 4

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

### Section 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Kit.		
Extremely Hazardous Substances; Section 355	None of the components in this Kit are listed.	
Toxic Substances Control Act; TSCA	All of the components in this Kit are listed.	
California Proposition 65	None of the components in this Kit are listed.	
Right To Know Components	Ethanol  Massachusetts Pennsylvania New jersey Isopropanol Massachusetts Pennsylvania New jersey Hematoxylin Pennsylvania New Jersey Potassium lodide Pennsylvania New Jersey Iodine Massachusetts Pennsylvania New Jersey Iodine Massachusetts Pennsylvania New Jersey	

#### Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.