

## Instructions For Use TBS-IFU

Rev. Date: Jan. 20, 2011

**Revision: 5** 

Page 1 of 1

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## Tris Buffered Saline (25X) pH 7.4

**Description:** Tris Buffered Saline (25X) pH 7.4 has been formulated in an easy-to-use 25X concentration for use with

immunolabeling techniques as a wash buffer. Made using only ACS Reagent grade materials and water that has been both deionized and distilled provides assurance that optimal results can be expected. The need to weigh and dissolve individual components is eliminated and replaced with a simple dilution.

Contents: Tris buffered saline in deionized/distilled water. pH of diluted buffer is 7.4±0.2. Concentration at final

dilution is Tris: 0.05M, NaCl: 0.15M.

**Uses/Limitations:** Not to be taken internally.

For In-Vitro Diagnostic use only. Do not use if reagent becomes cloudy. Do not use past expiration date. Use caution when handling reagents.

Non-Sterile

Availability: <u>Item # Volume</u> <u>Diluted Volume</u>

 TBS500
 500 ml
 12.5 liters

 TBS999
 1000 ml
 25 liters

 TBS010
 10 liters
 250 liters

 TBS-20000
 20 liters
 500 liters

Storage: Store at 18-25 ℃.

**Precautions:** Avoid contact with skin and eyes.

Harmful if swallowed.

Follow all Federal, State, and local regulations regarding disposal.

## Procedure:

1. Mix 1 part Tris Buffered Saline with 24 parts deionized and/or distilled water.

2. For optimal results, prepare fresh buffer daily.

Storage: 18° C



